

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : Keltan ® 3050 Ethylene-propylene copolymer (EPM)

Material number : 57030866

Recommended use : crude product for the production of technical rubber articles

Manufacturer or supplier's details

Supplier : ARLANXEO USA LLC
111 RIDC Park West Drive
PITTSBURGHPA 15275-1112
USA

Telephone : +18005269377 For information: US/Canada
+14128091000 International

Emergency telephone : Chemtrec (800) 424-9300
International (703) 527-3887
Lanxess Emergency Phone (800) 410-3063

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).**

The polymer is not hazardous in the form in which it is placed on the market as long as the hazardous component is included in the polymer matrix.

GHS label elements

The polymer is not hazardous in the form in which it is placed on the market as long as the hazardous component is included in the polymer matrix.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : ethylene-propylene copolymer

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if symptoms appear.

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

If swallowed : Get medical attention if symptoms appear.

Most important symptoms and effects, both acute and delayed

Symptoms : Skin: Reddening, burning, and possible permanent damage.

Effects : Contact with hot material causes thermal skin burns.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Dry chemical
Carbon dioxide (CO₂)
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate personnel to safe areas.
Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up : Move containers from spill area.
Vacuum or sweep up material and place in a designated, labeled waste container.

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

Dispose of wastes in an approved waste disposal facility.
Do not allow spilled material or wash water to enter sewers,
surface waters, or groundwater systems.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep container closed when not in use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.
- Keep away from direct sunlight or strong incandescent light.
Protect from moisture.
- Recommended storage temperature : < 86 °F (< 30 °C)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

- Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

- Remarks : Wear suitable gloves.

- Eye protection : Safety glasses with side-shields

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Appearance : bales

Color : white

Odor : slight, characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : > 698 °F (> 370 °C)
Autoignition temperature

Burning number : 1 (68 °F (20 °C))

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies) : No data available

SAFETY DATA SHEET



Keltan ® 3050 Ethylene-propylene copolymer (EPM)

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : > 572 °F (> 300 °C)

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : No specific data.

Hazardous decomposition products

Thermal decomposition : Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO₂ may be developed. Degradation products of the polymers and their additives may also be formed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation
Skin contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: Under the recommended processing conditions small amounts of emitted substance (e.g. residual monomers, residual solvents, decomposition products) may be discharged. According to our experience and information the product has no harmful effects on health if properly handled.

The substance(s) listed in Chapter 3 is/are encapsulated in this preparation in a polymer and is/are therefore not bioavailable.

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects
Product:

Additional ecological information : The product is practically insoluble in water. In view of its consistency and insolubility in water, no ecological problems are to be expected if the product is properly handled. This product is not readily biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Disposal methods : The generation of waste should be avoided or minimized wherever possible.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
If recycling is not practicable, dispose of in compliance with local regulations.

SECTION 14. TRANSPORT INFORMATION
Domestic regulation
DOT

Not regulated as a dangerous good

**Keltan ® 3050 Ethylene-propylene copolymer
(EPM)**

Version	Revision Date:	SDS Number:	Date of previous issue: 06/18/2018
1.1	10/16/2018	103000006082	Country / Language: US / EN

International Regulations**IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION**CERCLA**

None

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Ethylene Propylene Copolymer 9010-79-1 90 - 100

California Prop. 65WARNING: This product can expose you to chemicals including Hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Any chemical(s) listed above which do not appear elsewhere on this SDS are contained in this product at concentrations below 0.01%.

TSCA inventory

TSCA : On TSCA Inventory


TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Keltan ® 3050 Ethylene-propylene copolymer (EPM)

Version 1.1	Revision Date: 10/16/2018	SDS Number: 103000006082	Date of previous issue: 06/18/2018 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

SECTION 16. OTHER INFORMATION
Further information
NFPA:

HMIS® IV:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 10/16/2018

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.