# MOMENTIVE performance materials The science behind the solutions.

# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufactured By: Gart Plant

420 N. Taylor Rd Garrett IN 46738

**Revised:** 09/10/2009

Preparer: PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS

**CHEMTREC** 1-800-424-9300

Chemical Family/Use: Silicone Rubber

Formula: Mixture

**HMIS** 

Flammability: 0 Reactivity: 0 Health: 0

**NFPA** 

Flammability: 0 Reactivity: 0 Health: 1

# 2. HAZARDS IDENTIFICATION

# **EMERGENCY OVERVIEW**

CAUTION! May cause eye irritation.

Form: solid Color: translucent Odor: odorless

# **POTENTIAL HEALTH EFFECTS**

## **INGESTION**

No adverse effects are expected under normal conditions of use.

## SKIN

Plant experience has shown that skin hazard is not applicable in this form.

## **INHALATION**

No adverse effects are expected under normal conditions of use.

#### **EYES**

May cause mild eye irritation.

#### MEDICAL CONDITIONS AGGRAVATED

None known.

# **SUBCHRONIC (TARGET ORGAN)**

None known.

# **CHRONIC EFFECTS / CARCINOGENICITY**

This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.



# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

#### **ROUTES OF EXPOSURE**

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS REG NO.	<u>WGT. %</u>	
---------------------	-------------	---------------	--

## A. HAZARDOUS

# **B. NON-HAZARDOUS**

Dimethyl-methylvinyl silicone	67762-94-1	1 - 5 %
Vinyl stopped Polydimethylsiloxane	68083-18-1	30 - 60 %
Polydimethylsiloxane	63148-62-9	30 - 60 %
Treated Fumed Silica	68583-49-3	10 - 30 %

# 4. FIRST AID MEASURES

#### **INGESTION**

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

## SKIN

Wash with soap and water. Get medical attention if irritation or symptoms from Section 3 develop.

# **INHALATION**

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

#### **EYES**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

# **NOTE TO PHYSICIAN**

Treatment is symptomatic and supportive.



# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

# 5. FIRE-FIGHTING MEASURES

FLASH POINT:

IGNITION TEMPERATURE:

FLAMMABLE LIMITS IN AIR - LOWER (%):

FLAMMABLE LIMITS IN AIR - UPPER (%):

not applicable

not applicable

SENSITIVITY TO MECHANICAL IMPACT: No

## SENSITIVITY TO STATIC DISCHARGE

Sensitivity to static discharge is not expected.

#### **EXTINGUISHING MEDIA**

All standard extinguishing agents are suitable.

#### SPECIAL FIRE FIGHTING PROCEDURES

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

# 6. ACCIDENTAL RELEASE MEASURES

#### **ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

# 7. HANDLING AND STORAGE

## PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Avoid contact with eyes. Curing releases vapors which may be harmful. Ensure adequate ventilation. Keep container closed when not in use. Keep away from children.

## **STORAGE**

Store away from heat, sources of ignition, and incompatibles.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **ENGINEERING CONTROLS**

Eyewash stations: Showers

# MOMENTIVE performance materials The science behind the solutions.

# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

#### RESPIRATORY PROTECTION

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

#### **PROTECTIVE GLOVES**

Cloth gloves.

## **EYE AND FACE PROTECTION**

Safety glasses with side-shields conforming to EN166

#### OTHER PROTECTIVE EQUIPMENT

Wear suitable protective clothing and eye/face protection.

## **Exposure Guidelines**

Component	CAS RN	Source	Value

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average; INTL REL - Internal Recommended Exposure Limit

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

# 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT - C & F: no data available

VAPOR PRESSURE (20 C) (MM HG): negligible VAPOR DENSITY (AIR=1): negligible

FREEZING POINT: no data available

PHYSICAL STATE: solid ODOR: odorless COLOR: translucent **EVAPORATION RATE (BUTYL ACETATE=1):** negligible **SPECIFIC GRAVITY (WATER=1):** ca. 1.14 **DENSITY:** 1.14 g/cm3 ACID / ALKALINITY (MEQ/G): Unknown not applicable **SOLUBILITY IN WATER (20 C):** insoluble **SOLUBILITY IN ORGANIC SOLVENT (STATE** Unknown

SOLVENT):

**VOLATILE ORGANIC CONTENT:** < 1 %(m)



# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

# 10. STABILITY AND REACTIVITY

#### **STABILITY**

Stable

#### HAZARDOUS POLYMERIZATION

Will not occur.

#### HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS

Carbon monoxide; Carbon dioxide (CO2); Silicon dioxide.; formaldehyde; This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.

## **INCOMPATIBILITY (MATERIALS TO AVOID)**

None known.

#### **CONDITIONS TO AVOID**

None known.

# 11. TOXICOLOGICAL INFORMATION

## **ACUTE ORAL**

Remarks: None known.

## **ACUTE DERMAL**

Remarks: None known.

#### **ACUTE INHALATION**

Remarks: no data available

## **OTHER**

None.

#### **SENSITIZATION**

not applicable

#### **SKIN IRRITATION**

not applicable

# **EYE IRRITATION**

not applicable

# **MUTAGENICITY**

Unknown

# MOMENTIVE performance materials The science behind the solutions.

# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

# 12. ECOLOGICAL INFORMATION

## **ECOTOXICITY**

Ecotoxicological data for this product is not available.

#### **DISTRIBUTION**

no data available

#### **CHEMICAL FATE**

no data available

# 13. DISPOSAL CONSIDERATIONS

#### **DISPOSAL METHOD**

Disposal should be made in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

Further Information: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of dangerous

goods.

# 15. REGULATORY INFORMATION

# <u>Inventories</u>

Canada DSL Inventory y (positive listing) Korea Existing Chemicals y (positive listing)

Inventory (KECI)

China Inventory of Existing y (positive listing)

Chemical Substances

Australia Inventory of Chemical y (positive listing)

Substances (AICS)

Philippines Inventory of y (positive listing)

Chemicals and Chemical

Substances (PICCS)

TSCA list y (positive listing) On TSCA Inventory

EU list of existing chemical y (positive listing)

substances

Canada NDSL Inventory n (Negative listing)

# performance materials The science behind the solutions

# Material Safety Data Sheet

Version: 1.4 09/10/2009

# SE6350 0BB-BOX (1000.0LBS-454KG) SILICONE RUBBER COMPOUND

Japan Inventory of Existing & **New Chemical Substances** 

y (positive listing)

(ENCS)

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

# **US Regulatory Information**

SARA (311,312) HAZARD CLASS

Acute Health Hazard

**SARA (313) CHEMICALS** 

## **CALIFORNIA PROPOSITION 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# **Canadian Regulatory Information**

#### WHMIS HAZARD CLASS

D2A - Very Toxic Material Causing Other Toxic Effects

Other

**SCHDLE B/HTSUS:** 3910.00.0000 Silicones in primary forms

ECCN: EAR99

# 16. OTHER INFORMATION

#### **OTHER**

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate., C = ceiling limit NEGL = negligible EST = estimated NF = none found NA = not applicable UNKN = unknown NE = none established REC = recommended ND = TS = trade secret R = none determined V = recommended by vendor SKN = skin recommended MST = mist NT = not tested STEL = short term exposure limit ppm = ppb = parts per billion By-product= reaction by-product, TSCA inventory status parts per million not required under 40 CFR part 720.30(h-2).