

Version: 1.1 04/10/2007

# SM2138 55G-Drum (450.0LBS-204.30KG) **AQUEOUS EMULSION**

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufactured By: **Waterford Plant** 

260 Hudson River Rd Waterford NY 12188

Revised:

04/10/2007

Preparer:

PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS

CHEMTREC

1-800-424-9300

Chemical Family/Use:

Silicone emulsion

Formula:

Polydimethylsiloxane emulsion

**HMIS** 

Flammability:

Reactivity:

0 Health: 1

1

Prot. Equipm .:

**NFPA** 

Flammability: 0

Reactivity:

0

Health:

Special Haz.:

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS REG NO.	<u>WGT. %</u>
A. HAZARDOUS		
ETHOXYLATED NONYLPHENOL	9016-45-9	1 - 5 %
B. NON-HAZARDOUS		
Dimethylpolysiloxane	70131-67-8	60 - 90 %
Water	7732-18-5	30 - 60 %

Page 1/7

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Attention! May cause irritation of skin and eyes.

Form: Liquid

Color: white

Odor: odourless

#### **POTENTIAL HEALTH EFFECTS**

#### INGESTION

No adverse effects are expected under normal conditions of use.

SKIN

May cause mild skin irritation.

MARKETED BY **HARWICK STANDARD** DISTRIBUTION CORPORATION

# MOMENTIVE performance materials

# Material Safety Data Sheet

Version: 1.1 04/10/2007

# SM2138 55G-Drum (450.0LBS-204.30KG) AQUEOUS EMULSION

#### **INHALATION**

No adverse effects are expected under normal conditions of use.

#### **EYES**

May cause mild eye irritation.

#### MEDICAL CONDITIONS AGGRAVATED

None known.

#### SUBCHRONIC (TARGET ORGAN)

None known.

#### CHRONIC EFFECTS / CARCINOGENICITY

This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

#### **ROUTES OF EXPOSURE**

Eyes; Absorption through skin.

#### 4. FIRST AID MEASURES

#### **INGESTION**

Do NOT induce vomiting. If victim is conscious, give 2 glasses of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

#### SKIN

Wash off with soap and water. Get medical attention if symptoms occur.

#### INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

#### **EYES**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

#### NOTE TO PHYSICIAN

Treatment is symptomatic and supportive.

#### 5. FIRE-FIGHTING MEASURES

FLASH POINT:

METHOD:

IGNITION TEMPERATURE:

FLAMMABLE LIMITS IN AIR - LOWER (%):

Not applicable

Not applicable

FLAMMABLE LIMITS IN AIR - LOWER (%): Not applicable

FLAMMABLE LIMITS IN AIR - UPPER (%): Not applicable



Version: 1.1 04/10/2007

# **SM2138 55G-Drum (450.0LBS-204.30KG) AQUEOUS EMULSION**

SENSITIVITY TO MECHANICAL IMPACT:

No

#### SENSITIVITY TO STATIC DISCHARGE

Sensitivity to static discharge is not expected.

#### **EXTINGUISHING MEDIA**

All standard extinguishing agents are suitable.

#### SPECIAL FIRE FIGHTING PROCEDURES

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

#### 6. ACCIDENTAL RELEASE MEASURES

#### ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

#### 7. HANDLING AND STORAGE

#### STORAGE

Keep container closed. Recommended Storage Between 35F (2C) and 80F(26 C).

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Avoid contact with eyes. Keep away from children. Do not freeze. Stir well before using. Attention: Not for injection into humans. May generate formaldehyde at temperatures greater than 150 C (300 F). See Section 10 of MSDS for details.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **ENGINEERING CONTROLS**

Eyewash stations; Showers; Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

#### RESPIRATORY PROTECTION

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29 CFR 1910.134).

#### PROTECTIVE GLOVES

Impermeable or chemical resistant gloves.



Version: 1.1 04/10/2007

## SM2138 55G-Drum (450.0LBS-204.30KG) **AQUEOUS EMULSION**

#### **EYE AND FACE PROTECTION**

Safety glasses with side-shields

#### OTHER PROTECTIVE EQUIPMENT

Wear suitable protective clothing and eye/face protection.

#### **Exposure Guidelines**

Component CAS RN Source Value

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**BOILING POINT - C & F:** 

VAPOR PRESSURE (20 C) (MM HG):

VAPOR DENSITY (AIR=1):

FREEZING POINT:

MELTING POINT:

PHYSICAL STATE:

ODOR:

COLOR:

**EVAPORATION RATE (BUTYL ACETATE=1):** 

SPECIFIC GRAVITY (WATER=1):

**DENSITY:** 

ACID / ALKALINITY (MEQ/G): pH:

**VOLATILE ORGANIC CONTENT (VOL):** 

SOLUBILITY IN WATER (20 C):

SOLUBILITY IN ORGANIC SOLVENT (STATE

SOLVENT):

VOC EXCL. H2O & EXEMPTS (G/L):

ca.100 °C; 212 °F

Same value as water

ca. 0 °C; 32 °F

ca. 0 °C; 32 °F

Liquid

odourless white

< 1

ca. 1.00

ca. 0.98 g/cm3

No data available

5 - 9.5 ~35

Soluble

SOLUBLE IN ALCOHOLS

#### 10. STABILITY AND REACTIVITY

STABILITY

Stable

HAZARDOUS POLYMERIZATION

Will not occur

# MOMENTIVE performance materials

# Material Safety Data Sheet

Version: 1.1 04/10/2007

# **SM2138 55G-Drum (450.0LBS-204.30KG) AQUEOUS EMULSION**

#### HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS

Carbon dioxide (CO2); formaldehyde; Silicon dioxide.; This product contains components which can generate formaldehyde at approximately 300 F (150 C) and above in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. An MSDS for formaldehyde is available from Momentive Performance Materials, Inc.

#### **INCOMPATIBILITY (MATERIALS TO AVOID)**

None known.

#### **CONDITIONS TO AVOID**

None known.

#### 11. TOXICOLOGICAL INFORMATION

#### **ACUTE ORAL**

Remarks: No data available

#### ACUTE DERMAL

Remarks: No data available

#### **ACUTE INHALATION**

Remarks: No data available

#### OTHER

No data available

#### **SENSITIZATION**

No data available

#### **SKIN IRRITATION**

No data available

#### **EYE IRRITATION**

No data available

#### MUTAGENICITY

No data available

#### 12. ECOLOGICAL INFORMATION

#### **ECOTOXICOLOGY**

No data available

#### CHEMICAL FATE

No data available



Version: 1.1 04/10/2007

# SM2138 55G-Drum (450.0LBS-204.30KG) **AQUEOUS EMULSION**

DISTRIBUTION

No data available

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD** 

Disposal should be made in accordance with federal, state and local regulations.

#### 14. TRANSPORT INFORMATION

**Further Information:** 

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

#### 15. REGULATORY INFORMATION

#### **Inventories**

Canada DSL Inventory y (Positive listing) Japan Inventory of Existing & y (Positive listing)

**New Chemical Substances** 

(ENCS)

Korea Existing Chemicals

Inventory (KECI)

China Inventory of Existing y (Positive listing)

**Chemical Substances** 

Australia Inventory of Chemical

Substances (AICS)

Philippines Inventory of

Chemicals and Chemical

Substances (PICCS)

TSCA list

EU list of existing chemical

substances

Canada NDSL Inventory

y (Positive listing) y (Positive listing)

y (Positive listing)

y (Positive listing)

y (Positive listing)

n (Negative listing)

For inventories that are marked as quantity restricted or special cases, please contact GE.

## US Regulatory Information

**CERCLA** 

PRODUCT COMPOSITION Chemical

**CERCLA Reportable Quantity** 

**CLEAN AIR ACT** 

# MOMENTIVE performance materials

# Material Safety Data Sheet

Version: 1.1 04/10/2007

# **SM2138 55G-Drum (450.0LBS-204.30KG) AQUEOUS EMULSION**

**CLEAN WATER ACT** 

**SARA SECTION 302** 

SARA (311,312) HAZARD CLASS No SARA Hazards

SARA (313) CHEMICALS

#### **Canadian Regulatory Information**

WHMIS HAZARD CLASS NON-CONTROLLED

Other

SCHDLE B/HTSUS:

3910.00.00.00 Silicones in primary form

ECCN:

EAR99

#### **CALIFORNIA PROPOSITION 65**

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

#### 16. OTHER INFORMATION

#### **OTHER**

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are NEGL = negligible EST = estimated appropriate., C = ceiling limit NF = none found NA = not applicable UNKN = unknown NE = none established REC = recommended ND = none determined V = recommended by vendor SKN = skin TS = trade secret R = recommended MST = mist NT = not tested STEL = short term exposure limit ppm = parts per million ppb = parts per billion By-product= reaction by-product, TSCA inventory status not required under 40 CFR part 720.30(h-2).