

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion****1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Manufactured By: Momentive Performance Materials
3500 South State Route 2
FRIENDLY WV 26146

Revised: 10/15/2007

Preparer: PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS
CHEMTREC 1-800-424-9300

Chemical Family/Use: Silicone emulsion
Formula: Polydimethylsiloxane Antifoam Emulsion

HMIS

Flammability: 0 Reactivity: 0 Health: 0

NFPA

Flammability: 0 Reactivity: 0 Health: 0

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

Normal precautions common to safe manufacturing practice should be followed in handling and storage.

Form: Liquid Color: Opaque white Odor: Faint

POTENTIAL HEALTH EFFECTS**INGESTION**

No evidence of harmful effects from available information.

SKIN

May cause minor irritation. May cause the following effects: - itching - slight local redness

INHALATION

Short-term harmful health effects are not expected from vapor generated at ambient temperature.

EYES

May cause slight irritation. May cause the following effects: - swelling of the conjunctivae

MEDICAL CONDITIONS AGGRAVATED

A knowledge of the available toxicology information and of the physical and chemical properties of the material suggests that overexposure is unlikely to aggravate existing medical conditions.

SUBCHRONIC (TARGET ORGAN)

None known.

CHRONIC EFFECTS / CARCINOGENICITY

For additional information, please see Section 11, Toxicological Information.

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion****ROUTES OF EXPOSURE**

No anticipated routes of exposure.

3. COMPOSITION / INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS REG NO.	WGT. %
A. HAZARDOUS		
B. NON-HAZARDOUS		
Polyacrylate Thickener	Trade secret	1 - 5 %
Siloxane Polyalkyleneoxide Copolymer	Trade secret	1 - 5 %
Silica Modified Polydimethylsiloxane	Trade secret	10 - 30 %
Polydimethylsiloxane	Trade secret	10 - 30 %
Water	7732-18-5	60 - 90 %

4. FIRST AID MEASURES**INGESTION**

No emergency care anticipated.

SKIN

Wash skin with soap and water.

INHALATION

No emergency care anticipated.

EYES

Flush eyes thoroughly with water for several minutes.

NOTE TO PHYSICIAN

Treatment is symptomatic and supportive.

5. FIRE-FIGHTING MEASURES

FLASH POINT: None (aqueous system)
FLAMMABLE LIMITS IN AIR - LOWER (%): Not available

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion**

FLAMMABLE LIMITS IN AIR - UPPER (%): Not available**SENSITIVITY TO MECHANICAL IMPACT:** No**SENSITIVITY TO STATIC DISCHARGE**

Sensitivity to static discharge is not expected.

EXTINGUISHING MEDIA

All standard extinguishing agents are suitable.

SPECIAL FIRE FIGHTING PROCEDURES

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES**ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. HANDLING AND STORAGE**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE**

Avoid contact with eyes. Keep away from children. Do not freeze. Stir well before using. Attention: Not for injection into humans. May generate formaldehyde at temperatures greater than 150 C (300 F). See Section 10 of MSDS for details.

STORAGE

Keep container closed. Store in original container.

FURTHER INFORMATION ON STORAGE CONDITIONS

Recommended storage between 35F (2C) and 80F (26 C).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**ENGINEERING CONTROLS**

Eyewash stations; Showers; Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

RESPIRATORY PROTECTION

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion**

respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

PROTECTIVE GLOVES

Impermeable or chemical resistant gloves.

EYE AND FACE PROTECTION

Safety glasses with side-shields

OTHER PROTECTIVE EQUIPMENT

Wear suitable protective clothing and eye/face protection.

Exposure Guidelines

<u>Component</u>	<u>CAS RN</u>	<u>Source</u>	<u>Value</u>
------------------	---------------	---------------	--------------

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT - C & F:	> 100 °C; > 212 °F; Mixture
VAPOR PRESSURE (20 C) (MM HG):	< 20
VAPOR DENSITY (AIR=1):	Heavier than air
FREEZING POINT:	0 °C; 32 °F; (approximately)
MELTING POINT:	0 °C; 32 °F; (approximately)
PHYSICAL STATE:	Liquid
ODOR:	Faint
COLOR:	Opaque white
EVAPORATION RATE (BUTYL ACETATE=1):	< 1
SPECIFIC GRAVITY (WATER=1):	ca. 0.9941
DENSITY:	0.9941 g/cm ³
ACID / ALKALINITY (MEQ/G):	No data available
pH:	No data available
VOLATILE ORGANIC CONTENT (VOL):	Not determined
SOLUBILITY IN WATER (20 C):	Dispersible
SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT):	No data available
VOC EXCL. H2O & EXEMPTS (G/L):	16

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion****10. STABILITY AND REACTIVITY****STABILITY**

Stable.

HAZARDOUS POLYMERIZATION

Will not occur.

HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS

After evaporation of water, residue can burn to produce: Oxides of carbon.; Oxides of silicon.; Formaldehyde.; Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.; Acute overexposure to the products of combustion may result in irritation of the respiratory tract.; This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.

INCOMPATIBILITY (MATERIALS TO AVOID)

None currently known.

CONDITIONS TO AVOID

None known.

11. TOXICOLOGICAL INFORMATION**ACUTE INHALATION**

Remarks: No data available

OTHER

No data available

SENSITIZATION

No data available

MUTAGENICITY

No data available

OTHER EFFECTS OF OVEREXPOSURE

No adverse effects anticipated from available information.

12. ECOLOGICAL INFORMATION**ECOTOXICITY**

No data available

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion****DISTRIBUTION**

No data available

CHEMICAL FATE

No data available

13. DISPOSAL CONSIDERATIONS**DISPOSAL METHOD**

Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION**Further Information:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. REGULATORY INFORMATION**Inventories**

China Inventory of Existing Chemical Substances	y (Positive listing)
Canada DSL Inventory	q (quantity restricted)
Canada NDSL Inventory	n (Negative listing)
Japan Inventory of Existing & New Chemical Substances (ENCS)	n (Negative listing)
Korea Existing Chemicals Inventory (KECI)	n (Negative listing)
Australia Inventory of Chemical Substances (AICS)	n (Negative listing)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	n (Negative listing)
TSCA list	y (Positive listing)
EU list of existing chemical substances	y (Positive listing)

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

US Regulatory Information**SARA (311,312) HAZARD CLASS**

No SARA Hazards

**SAG* 330 foam control agent/SAMPLE/0.907KG
Polydimethylsiloxane Antifoam Emulsion**

SARA (313) CHEMICALS

Canadian Regulatory Information**WHMIS HAZARD CLASS**
NON-CONTROLLED**CALIFORNIA PROPOSITION 65**

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION**OTHER**

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate., C = ceiling limit NEGL = negligible EST = estimated NF = none found
NA = not applicable UNKN = unknown NE = none established REC = recommended ND = none determined V = recommended by vendor SKN = skin TS = trade secret R = recommended MST = mist NT = not tested STEL = short term exposure limit ppm = parts per million ppb = parts per billion By-product= reaction by-product, TSCA inventory status not required under 40 CFR part 720.30(h-2).