

Printing date 08/27/2019 Reviewed on 08/27/2019

1 Identification

· Product identifier

· Trade name: PICCOLYTE® S115 · Product Description polyterpene resin

· Article number: 105483, 106081, 108812, 146381 · Application of the substance / the mixture

Tackifier resin in pressure-sensitive and hot-melt adhesives

Modifier resin in rubber compounding Wax modifier for investment castings

Used as stiffening and waterproofing agents in textile sizing applications

Component in SBR-based can sealants

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Pinova Incorporated 2801 Cook Street

Brunswick, Georgia 31520 msds@pinovasolutions.com

Information department:

Pinova, Inc. - Regulatory Affairs Department msds@pinovasolutions.com

· Emergency telephone number:

Within USA and Canada: 1-800-CHEMTREC (424-9300)

Outside the USA and Canada: 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms Void
- Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P234 Keep only in original container.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / eye protection.
P301+P312 If swallowed: Call a doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)





Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® S115

(Contd. of page 1)

P302+P352 If on skin: Wash with plenty of soap and water. P304+P312 IF INHALED: Call a doctor if you feel unwell.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.
P402+P404 Store in a dry place. Store in a closed container.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Information pertaining to particular dangers for man and environment:

DANGER!

HOT MOLTEN product: Burns may cause irreversible eye injury and blindness. Causes skin burns. Inhalation of smoke or fumes may cause throat discomfort, coughing, or breathing difficulty. Product may burn if ignited.

POTENTIAL HEALTH EFFECTS - May cause eye irritation by mechanical abrasion. May cause skin irritation by mechanical abrasion. Inhalation may cause respiratory irritation with throat discomfort, coughing, or breathing difficulty. Repeated exposure may lead to respiratory sensitization (asthma) in susceptible individuals.

GENERAL HYGENIC PRACTICES - Avoid contact with eyes, skin and clothing. Avoid breathing dust or fumes. Handle in areas with adequate ventilation.

WARNING!

Solid product at ambient temperature. Static charges generated by emptying package in or near flammable vapors may cause a flash fire. May form flammable dust-air mixtures.

Refer to SDS Section 8, Exposure Controls/Personal Protection, for further information. Refer to Section 5 for Hazardous Combustion Products and Section 10 for Hazardous Decomposition/Hazardous Polymerization Products.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not a PBT. · **vPvB:** Not a vPvB.

us

(Contd. on page 3)





Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® S115

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No.: 68240-09-5 · CAS No. Description

Bicyclo[3.1.1]hept-2-ene,2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1] heptane,3-methylene-6-(1-methylethyl)cyclohexene and 1-methyl-4-(1-methylethenyl)cyclohexene

Additional information:

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

If this product is heated or used at temperatures sufficient to produce smoke or fumes, refer to SDS Section 8, Exposure Controls/Personal Protection

As Pinova, Inc interprets the Workplace Hazardous Materials Information System (WHMIS) 2015, this product should be considered a hazardous material due to the potential presence of combustible dust. If dispersed in air, the fine particles may catch fire if ignited. This SDS contains valuable information important to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users/handlers of this product.

Impurities and stabilising additives: 0.25% 128-37-0: BUTYLATED HYDROXYTOLUENE [BHT]

4 First-aid measures

- · Description of first aid measures
- After inhalation: Remove to fresh air. Get medical attention if nasal, throat or lung irritation develops.
- · After skin contact:

Wash with soap and water. Get medical attention if irritation develops or persists.

HOT MOLTEN product: Immediately cool skin burns with water and cold packs for at least 15 minutes. Do NOT put ice directly on the skin. Do NOT attempt to remove solidified resin from the skin as severe tissue damage may result.

Get immediate medical attention. See Note to Physician.

· After eye contact:

Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get medical attention if irritation persists.

HOT MOLTEN product: Cool burns with plenty of low-pressure water. Get immediate medical attention.

· After swallowing:

Not an ingestion hazard under anticipated conditions of use.

For accidental ingestion: Do NOT induce vomiting. Get immediate medical attention.

· Information for doctor:

For HOT MOLTEN or HOT LIQUID product: Material should not be forcibly removed from the skin. Mineral oil may be used to loosen and soften the material.

- Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US

(Contd. on page 4)





Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® S115

(Contd. of page 3)

5 Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents:

Water spray, dry chemical, foam, carbon dioxide or clean extinguishing agents may be used on fires involving this product.

Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

If heated to combustion, the following substances may be formed:

Carbon monoxide (CO)

Carbon Dioxide (CO□)

Aldehydes

Carboxylic acids

Smoke

- · Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear when fighting fires involving this product.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ventilate area. Avoid dust formation.

If product is not contaminated, scoop into clean containers for use. If product is contaminated, scoop into containers, and dispose appropriately. In case of accidental spill or release, refer to Section 8, Personal Protective Equipment and General Hygiene Practices.

Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- Protective Action Criteria for Chemicals
- · PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ground all equipment.

Blanket vessel with inert gas when emptying bags where flammable vapors may be present. Ground operator and pour material slowly into conductive, grounded chute.

For large bags (1000 lbs or greater) a ground cable MUST be attached to the bag ground connection. For HOT MOLTEN or HOT LIQUID product: Use personal protective equipment as indicated in Section 8: Exposure Controls/Personal Protection.

(Contd. on page 5)





Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® \$115

(Contd. of page 4)

· Information about protection against explosions and fires:

Avoid conditions that generate dust; product may form flammable dust-air mixtures. Avoid emptying package in or near flammable vapors; static charges may cause flash fire. Keep away from heat, flame, sparks and other ignition sources.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry area.

Keep container closed when not in use.

Control inventory.

Rotate stock periodically.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

Eyewash fountains and safety showers should be easily acessible.

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Discharge from the ventilation system should comply with applicable air pollution control regulations.

Eliminate ignition sources and prevent build-up of static electrical charges.

Completely isolate and thoroughly clean all equipment, piping, or vessels before beginning maintenance or repairs.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional Occupational Exposure Limit Values for possible hazards during processing: PARTICULATES (INSOLUBLE) NOT OTHERWISE SPECIFIED (PNOS): If used under conditions that generate particulates, the ACGIH TLV-TWA of 3 mg/m3 respirable fraction (10mg/m3 total) should be observed.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Avoid contact with eves, skin, and clothing.

Avoid breathing dust, vapor or mist.

Handle in areas with adequate ventilation.

Avoid contamination of food, beverages, or smoking materials.

Wash thoroughly after handling, and before eating, drinking or smoking.

Remove contaminated clothing promptly and clean thoroughly before reuse.

· Breathing equipment:

Appropriate respiratory protection is required when exposure to airborne contaminants may exceed acceptable limits. Respirators should be selected and used in accordance with OSHA, Subpart I (29 CFR 1910.134) and manufacturers recommendations.

- · Protection of hands: Impervious gloves
- Eye protection: Safety glasses

(Contd. on page 6)





Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® S115

(Contd. of page 5)

Body protection:

Appropriate protective clothing

Personnel exposed to HOT MOLTEN or HOT LIQUID material should wear protective clothing that provides protection against thermal burns. Required Protective Equipment: a) Longsleeved protective shirt, long pants and work shoes; b) Hard hat and face shield; c) Long-cuff gloves (Gauntlet type-extending beyond wrist); d) Lined rain suit with protective hood or shoulder shroud or e) Full aluminized or thermal suit with hood.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid or flake
Color: light amber

Odor: typical terpene

Percent Volatile Negligible at 20□

Specific Gravity 0.99 @ 25□

· Change in condition

Melting/freezing point: Not determined.

Softening Point 112-118 °C (233.6-244.4 °F)

• Flash point: 198 °C (388.4 °F)

· Flammability (solid, gaseous): Product is not flammable.

· Auto ignition temperature: Not determined.

• Explosive properties: Product is not explosive. However, formation of explosive air/dust

mixtures are possible.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

• Oxidizing properties The substance does not contain any chemical groups associated with

oxidizing properties.

· Vapor pressure: Negligible

· Density:

Bulk density at 20 °C (68 °F): 990 kg/m³
Vapor density heavier than air

Evaporation rate slower than butyl acetate

· Solubility in / Miscibility with

Water: Negligible

· Viscosity:

Dynamic: Not determined.

(Contd. on page 7)



Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® \$115

(Contd. of page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

Stable under recommended handling and storage conditions.

· Possibility of hazardous reactions

Not anticipated under normal or recommended handling and storage.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: None known.
- · Hazardous decomposition products: None known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

PRODUCT/SIMILAR PRODUCT - Rats and dogs fed up to 10% in the diet for 2 years exhibited no product-related effects.

- · Primary irritant effect:
- · Skin corrosion/irritation: No irritant effect.
- · Serious eye damage/irritation: No irritating effect.
- · Skin Sensitization:

No human toxicity studies have been carried out with this product. Due to the physical nature of this material, may cause eye, skin and respiratory irritation by mechanical abrasion.

- Additional toxicological information: The substance is not subject to classification.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability

Based upon data from this or similar materials, this product cannot be regarded as readily biodegradable; however, it may be slowly biodegradable.

- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: No ecological studies have been carried out on this product.

(Contd. on page 8)

HS.





Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® \$115

(Contd. of page 7)

· Results of PBT and vPvB assessment

· **PBT:** Not a PBT. · **vPvB:** Not vPvB.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Landfilling in a permitted solid or hazardous waste facility if recommended. Handling, transportation, and disposal of material should be conducted in a manner to prevent a nuisance dust hazard. Fully containerize the material before handling, and protect from exposure to the outdoors. Ensure there are no restrictions on disposing of bulk or semi-bulk quantities of waste material. Disposal should be in accordance with all Federal, State and local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	Not classified as a dangerous good under transpo regulation.
UN proper shipping name	Not classified as a dangerous good under transpo regulation.
Transport hazard class(es)	
ADR	
Class	Not classified as dangerous goods for transpo according to the regulations.
Packing group	Not applicable.
Environmental hazards:	Not classified as a dangerous good under transpo regulation.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	

(Contd. on page 9)



Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® \$115

(Contd. of page 8)

• Remarks: This product is not subject to DOT regulations.

For specific information regarding transportation of this product, please call the Pinova representative at (888) 807-2958

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings):

This product does not contain any chemicals subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act and 40CFR372.

Substance is not listed.

SECTIONS 302/304

This product is not an Extremely Hazardous Substance subject to reporting under 40CFR355.

SECTION 311 AND 312

Physical Hazard:

Combustible Dust

· CERCLA

This product does not contain any chemicals subject to reporting as a CERCLA Hazardous Substance under 40CFR302.4.

RCRA

This product is not a hazardous waste as listed in 40CFR261.33. It does not exhibit any of the hazardous characteristics listed in 40CFR261, Subpart C.

- · TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- New Jersey Right-to-Know List: Substance is not listed.
- · New Jersey Special Hazardous Substance List: Substance is not listed.
- · Pennsylvania Right-to-Know List: Substance is not listed.
- · Pennsylvania Special Hazardous Substance List: Substance is not listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- Canadian substance listings:
- · Canadian Domestic Substances List (DSL) Substance is listed.
- · Canadian Non-Domestic Substances List (NDSL) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms Void
- · Signal word Warning

(Contd. on page 10)



Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® S115

(Contd. of page 9)

· Hazard statements

May form combustible dust concentrations in air.

· Precautionary statements

Do not handle until all safety precautions have been read and understood. P202 P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P234 Keep only in original container.

Take precautionary measures against static discharge. P243 Avoid breathing dust/fume/gas/mist/vapors/spray P261

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / eye protection. P301+P312 If swallowed: Call a doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P302+P352 If on skin: Wash with plenty of soap and water. P304+P312 IF INHALED: Call a doctor if you feel unwell.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell. P314

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse. P363 P402+P404 Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep container tightly closed. P403+P233

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

16 Other information

DISCLAIMER: The information and recommendations contained in this Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.

- · Department issuing SDS: Regulatory Affairs Department
- · Contact: MSDS@pinovasolutions.com
- · Date of preparation / last revision 08/27/2019 / 1.2
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)



Page 11/11

Safety Data Sheet

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: PICCOLYTE® \$115

(Contd. of page 10)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

- · Sources Literature and company data
- * Data compared to the previous version altered.

Section 15 -

SARA 311/312 physical and health hazard warnings updated to match OSHA Hazard Communications Standard 2012 Final Rule Technical Amendment effective January 1st, 2018.