SAFETY DATA SHEET



1. Identification

Product identifier Therm-Chek® 5469

Other means of identification

Product code 1035481, 1035480

Recommended use Polymer. None known. **Recommended restrictions**

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Valtris Specialty Chemicals

Address 7050 Krick Road

Walton Hills, OH 44146

United States

Telephone Customer Service (216) 875-7284

Website www.valtris.com

E-mail sdsquestions@valtris.com **Contact person** Valtris Technical Center CHEMTREC: 1-800-424-9300 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Flammable liquids Category 3 Health hazards Acute toxicity, oral Category 4 Acute toxicity, dermal Category 4 Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Germ cell mutagenicity Category 1B Carcinogenicity Category 1A Reproductive toxicity Category 2 Category 1

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Danger Signal word

Hazard statement Flammable liquid and vapor. Harmful if swallowed. Harmful in contact with skin. Causes skin

irritation. Causes serious eye irritation. Harmful if inhaled. May cause genetic defects. May cause cancer. Suspected of damaging the unborn child. Very toxic to aquatic life. Toxic to aquatic life

Category 2

with long lasting effects.

Material name: Therm-Chek® 5469 SDS US

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear eye protection/face protection. Wear protective

gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off Response

immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use

appropriate media to extinguish. Collect spillage.

Store in a well-ventilated place. Keep cool. Store locked up. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information 53.77% of the mixture consists of component(s) of unknown acute oral toxicity. 63.77% of the mixture consists of component(s) of unknown acute dermal toxicity. 71.63% of the mixture consists of component(s) of unknown acute inhalation toxicity. 62.7% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 62.7% of the mixture

consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Cadmium compounds		*	10 - 20
Organic solvents		*	10 - 20
Barium compounds		*	5 - 10
Aromatic solvent		*	2.5 - 10
Glycol ether		*	2.5 - 10
Organophosphorous compound		*	2.5 - 10
cumene		98-82-8	0.1 - 1

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact

advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell.

symptoms/effects, acute and

delayed

Most important

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Material name: Therm-Chek® 5469 SDS US 2 / 11 1035481, 1035480 Version #: 01 Issue date: 05-16-2015

General information

Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Flammable liquid and vapor.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

1035481, 1035480 Version #: 01 Issue date: 05-16-2015

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Type Value Sarium compounds Umene (CAS 98-82-8) PEL 245 mg/m3 50 ppm Usua US. ACGIH Threshold Limit Values Components Type Value Form TWA 25 ppm 25 ppm 36 admium compounds TWA 0.5 mg/m3 0.002 mg/m3 0.002 mg/m3 0.002 mg/m3 Eaction. Umene (CAS 98-82-8) TWA TWA TWA TWA TO Ppm Thalable fraction and vapor. US. NIOSH: Pocket Guide to Chemical Hazards Components Type Type Type Type Type Type Type Type	Components	Туре	Value	
Type	Cadmium compounds		•	
Sarium compounds	US. OSHA Table Z-1 Limits for A			
umene (CAS 98-82-8) PEL 245 mg/m3 50 ppm JS. ACGIH Threshold Limit Values Components Type Value Form TWA 25 ppm 25 ppm 25 ppm 36 admium compounds TWA 0.01 mg/m3 0.002 mg/m3 0.002 mg/m3 Respirable fraction. JS. NIOSH: Pocket Guide to Chemical Hazards Components TWA TWA TWA JS. NIOSH: Pocket Guide to Chemical Hazards Components TWA TWA TWA TWA TWA TWA TWA TW	Components	Туре	Value	
US. ACGIH Threshold Limit Values Components Type Value Form TWA 25 ppm 25 ppm 25 ppm 36 arium compounds TWA 0.5 mg/m3 0.002 mg/m3 0.002 mg/m3 0.002 mg/m3 Respirable fraction. TWA Slycol ether TWA US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value TWA 125 mg/m3 125 mg/m3 125 ppm 25 ppm 26 ppm 27 ppm 28 ppm 38 ppm	Barium compounds	PEL	0.5 mg/m3	
Aromatic solvent Type Value Form Type Value Form Type Value Form Twa 25 ppm 25 ppm 25 ppm 30 0.5 mg/m3 0.002 mg/m3	cumene (CAS 98-82-8)	PEL	245 mg/m3	
Aromatic solvent Type Value Form TWA 25 ppm 25 ppm 35 arium compounds TWA 0.5 mg/m3 0.002 mg/m3 Respirable fraction. TWA TWA TWA TWA TWA TWA TWA TW			50 ppm	
Aromatic solvent TWA 25 ppm 25 ppm 25 ppm 36 arium compounds TWA 0.5 mg/m3 0.002 mg/m3 0.002 mg/m3 Respirable fraction. Summene (CAS 98-82-8) TWA TWA TWA TWA TWA TWA TWA TWA	US. ACGIH Threshold Limit Valu	es		
Barium compounds TWA Cadmium compounds TWA Components TWA TWA TWA TO ppm Inhalable fraction and vapor. Somponents Type Value TWA TWA TEST mg/m3 TEST ppm TEST	Components	Туре	Value	Form
Barium compounds TWA Cadmium compounds TWA Cadmium compounds TWA Cadmium compounds TWA Cadmium compounds TWA Cadmium compounds TWA Cadmium compounds TWA Components TWA TWA TWA TWA TWA TWA TWA TWA	Aromatic solvent	TWA	25 ppm	
Cadmium compounds TWA 0.01 mg/m3 0.002 mg/m3 Respirable fraction. Sumene (CAS 98-82-8) TWA TWA 10 ppm Inhalable fraction and vapor. S. NIOSH: Pocket Guide to Chemical Hazards Components Type Value TWA 125 mg/m3 125 mg/m3 25 ppm			25 ppm	
Cadmium compounds TWA 0.01 mg/m3 0.002 mg/m3 Respirable fraction. Sumene (CAS 98-82-8) TWA TWA 10 ppm Inhalable fraction and vapor. S. NIOSH: Pocket Guide to Chemical Hazards Components Type Value TWA 125 mg/m3 125 mg/m3 125 ppm 25 ppm 26 ppm	Barium compounds	TWA	0.5 mg/m3	
TWA Slycol ether TWA TWA TWA TWA TWA TWA TWA TWA TWA TW	Cadmium compounds	TWA		
TWA 50 ppm Inhalable fraction and vapor. SIS. NIOSH: Pocket Guide to Chemical Hazards Components Type Value TWA 125 mg/m3 125 mg/m3 125 ppm 25 ppm	·			Respirable fraction.
Vapor. JS. NIOSH: Pocket Guide to Chemical Hazards Components Type Value TWA 125 mg/m3 125 mg/m3 25 ppm 25 ppm 25 ppm 25 ppm 3 umene (CAS 98-82-8) TWA 125 mg/m3 25 ppm 25 ppm 25 ppm 36 ppm 37 ppm 38 pumene (CAS 98-82-8)	cumene (CAS 98-82-8)	TWA	50 ppm	·
Components Type Value Aromatic solvent TWA 125 mg/m3 125 mg/m3 25 ppm 25 ppm 25 ppm 25 ppm 325	Glycol ether	TWA	10 ppm	
TWA 125 mg/m3 125 mg/m3 25 ppm 25 ppm 25 ppm 0.5 mg/m3 125 mg/m3 25 ppm 25 ppm 25 ppm 25 ppm 3 125 mg/m3 25 ppm 25 ppm 3 125 p	US. NIOSH: Pocket Guide to Che	mical Hazards		
125 mg/m3 25 ppm 25 ppm 3 cumene (CAS 98-82-8) TWA TWA TWA 245 mg/m3 25 ppm 25 ppm 3 cumene (CAS 98-82-8) TWA 50 ppm	Components	Туре	Value	
25 ppm 30.5 mg/m3 245 mg/m3 50 ppm	Aromatic solvent	TWA	125 mg/m3	
25 ppm 25 ppm 25 ppm 25 ppm 25 ppm 25 ppm 30.5 mg/m3 245 mg/m3 50 ppm 50 ppm			125 mg/m3	
25 ppm Sarium compounds TWA 0.5 mg/m3 sumene (CAS 98-82-8) TWA 245 mg/m3 50 ppm				
Barium compounds TWA 0.5 mg/m3 sumene (CAS 98-82-8) TWA 245 mg/m3 50 ppm 50 ppm			· · · · · · · · · · · · · · · · · · ·	
tumene (CAS 98-82-8) TWA 245 mg/m3 50 ppm	Barium compounds	TWA	• •	
50 ppm	•	TWA		
	,		<u> </u>	
	ogical limit values			

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Cadmium compounds	5 μg/g	Cadmium	Creatinine in urine	*
	5 μg/l	Cadmium	Blood	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

cumene (CAS 98-82-8)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

cumene (CAS 98-82-8) Skin designation applies.

US - Tennessee OELs: Skin designation

cumene (CAS 98-82-8)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

cumene (CAS 98-82-8)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

cumene (CAS 98-82-8) Can be absorbed through the skin.

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Material name: Therm-Chek® 5469

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Amber Odor Solvent. Odor threshold Not available. Not available. Hq

-90.58 °F (-68.1 °C) estimated Melting point/freezing point Initial boiling point and boiling 336 °F (168.89 °C) estimated

range

112.0 °F (44.4 °C) estimated Flash point

Evaporation rate < 1

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

0.43 hPa estimated Vapor pressure

Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

442 °F (227.78 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Not available. **Viscosity**

Other information

1.30 g/cm3 estimated **Density**

Explosive properties Not explosive.

Flammability class Combustible II estimated

Oxidizing properties Not oxidizing. Percent volatile 6.46 % estimated

1.02 Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Material name: Therm-Chek® 5469 1035481, 1035480 Version #: 01 Issue date: 05-16-2015 Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Harmful if inhaled. Inhalation

Harmful in contact with skin. Causes skin irritation. Skin contact

Strong oxidizing agents.

Eye contact Causes serious eye irritation.

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	ct with skin. Harmful if swallowed.	
Components	Species Test Results	
Aromatic solvent		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 3160 mg/kg
Inhalation		
LC50	Rat	> 2000 ppm, 48 Hours
Oral		
LD50	Rat	8970 mg/kg
		6 g/kg
Barium compounds		
<u>Acute</u>		
Oral		
LD	Mouse	200 mg/kg
	Rabbit	170 - 300 mg/kg
LD50	Mouse	200 mg/kg
	Rat	418 mg/kg
	Wild Norway rat	1480 mg/kg
cumene (CAS 98-82-8)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	2000 ppm, 7 Hours
		24.7 mg/l, 2 Hours
	Rat	8000 ppm, 4 Hours
Oral		
LD50	Rat	1400 mg/kg
Glycol ether		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2700 mg/kg
Oral		
LD50	Guinea pig	2000 mg/kg

Material name: Therm-Chek® 5469

SDS US 1035481, 1035480 Version #: 01 Issue date: 05-16-2015

Components	Species	Test Results
	Mouse	2400 mg/kg
	Rabbit	2200 mg/kg
	Rat	4500 mg/kg
Organophosphorous compound		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LD50	Rat	6.7 mg/l
Oral		
LD50	Mouse	1330 mg/kg
	Rat	1600 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cadmium compounds (CAS *) 1 Carcinogenic to humans.

cumene (CAS 98-82-8) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Cadmium compounds (CAS *)

Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Cadmium compounds (CAS *)

Known To Be Human Carcinogen.

cumene (CAS 98-82-8)

Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity Suspected of damaging the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Aromatic solvent			
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	7.19 - 8.28 mg/l, 96 hours
		Goldfish (Carassius auratus)	9.89 - 15.05 mg/l, 96 hours
Barium compounds			
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	6950 mg/l, 96 hours
cumene (CAS 98-82-8)			
Aquatic			
Crustacea	EC50	Brine shrimp (Artemia sp.)	3.55 - 11.29 mg/l, 48 hours

Material name: Therm-Chek® 5469

1035481, 1035480 Version #: 01 Issue date: 05-16-2015

Test Results Components **Species** LC50 2.7 mg/l, 96 hours Fish

Rainbow trout, donaldson trout (Oncorhynchus mykiss)

Glycol ether

Aquatic

LC50 Fish 1300 mg/l, 96 hours Bluegill (Lepomis macrochirus)

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

cumene 3.66 Glycol ether 0.56

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions**

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1993

UN proper shipping name Flammable liquids, n.o.s. (Petroleum distillates)

Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

B1, B52, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 150 Packaging non bulk 203 Packaging bulk 242

IATA

UN number UN1993

UN proper shipping name Flammable liquid, n.o.s. (Petroleum distillates)

Transport hazard class(es)

Class 3 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Material name: Therm-Chek® 5469 8 / 11 1035481, 1035480 Version #: 01 Issue date: 05-16-2015

^{*} Estimates for product may be based on additional component data not shown.

Allowed. Cargo aircraft only

IMDG

UN number UN1993

FLAMMABLE LIQUID, N.O.S. (Petroleum distillates) UN proper shipping name

Transport hazard class(es)

3 Class Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No. **EmS** F-E, <u>S-E</u>

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Barium compounds (CAS *) Listed. cumene (CAS 98-82-8) Listed. Glycol ether (CAS *) Listed. Organophosphorous compound (CAS *) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Cadmium compounds (CAS *) Cancer

> Lung Kidney Acute toxicity

Material name: Therm-Chek® 5469 SDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
CADMIUM COMPOUNDS	*	10 - 20	_
BARIUM COMPOUNDS [EXCEPT BASO4]	*	5 - 10	
1,2,4-TRIMETHYLBENZENE	*	2.5 - 10	
CERTAIN GLYCOL ETHERS	*	2.5 - 10	
CUMENE	98-82-8	0.1 - 1	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Cadmium compounds (CAS *) cumene (CAS 98-82-8)

Glycol ether (CAS *)

Organophosphorous compound (CAS *)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Aromatic solvent (CAS *) cumene (CAS 98-82-8)

US. New Jersey Worker and Community Right-to-Know Act

Aromatic solvent (CAS *)

Barium compounds (CAS *)

Cadmium compounds (CAS *)

cumene (CAS 98-82-8)

Glycol ether (CAS *)

US. Pennsylvania Worker and Community Right-to-Know Law

Aromatic solvent (CAS *)

cumene (CAS 98-82-8)

Glycol ether (CAS *)

US. Rhode Island RTK

Aromatic solvent (CAS *)

Barium compounds (CAS *)

Cadmium compounds (CAS *)

cumene (CAS 98-82-8)

Glycol ether (CAS *)

Organophosphorous compound (CAS *)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Cadmium compounds (CAS *)

cumene (CAS 98-82-8)

ETHYLBENZENE (CAS 100-41-4)

Listed: October 1, 1987

Listed: April 6, 2010

Listed: June 11, 2004

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Cadmium compounds (CAS *) Listed: May 1, 1997

Material name: Therm-Chek® 5469 1035481, 1035480 Version #: 01 Issue date: 05-16-2015

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Cadmium compounds (CAS *) Listed: May 1, 1997

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Issue date 05-16-2015

Version # 01

Valtris Specialty Chemicals cannot anticipate all conditions under which this information and its **Disclaimer**

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

SDS US 1035481, 1035480 Version #: 01 Issue date: 05-16-2015

Yes