

Material Safety Data Sheet

Last Revision: 05/07/2007 **Printing Date:** 05/07/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

PERKACIT® MBTS

MSDS NO.

FLXP0054

Chemical Name:

Mercaptobenzothiazole Disulfide

Synonyms:

Thiofide; MBTS; 2,2'-Dithiobis(benzothiazole); Benzothiazyl disulfide

Use:

Accelerator.

Manufactured By:

Flexsys America L.P. 260 Springside Drive Akron OH 44333-2433 USA

Emergency Telephone:

CHEMTREC: 1-800-424-9300 [TOLL FREE - USA and Territories]

703-527-3887 [ELSEWHERE - Collect Calls Accepted]

CANUTEC: 613-996-6666 [Canada] SETIQ: 91-800-00-214 [Mexico]

Prepared By:

Flexsys America Product Safety: Phone (330) 668-8281 FAX (330) 668-8345

E:mail sharen.b.breyer@flexsys.com

2. HAZARDS IDENTIFICATION

Emergency Overview:

WARNING! Combustible dust - explosion potential. May be toxic if absorbed through the skin. Dust may be irritating to eyes and upper respiratory tract.

Eye Contact:

May cause mild eye irritation. Mild Eye Irritation: signs/symptoms can include

redness, swelling, pain and tearing.

Skin Contact:

May cause an allergic skin reaction. May cause a rash and itching of the skin. May

cause skin defatting with prolonged exposure.

Inhalation:

May cause mild respiratory irritation.

Ingestion:

Swallowing a relatively large amount of this material is unlikely to produce serious

illness or death.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Mercaptobenzothiazole Disulfide	120-78-5	97 - 100
White Mineral Oil	8042-47-5	1 - 2

4. FIRST AID MEASURES

In Eyes:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

On Skin:

Remove contaminated clothing. Wash skin with water, using soap if available. Remove contaminated clothing and launder before reuse. Get medical attention if

irritation persists.

Inhaled:

Remove person to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, get immediate medical attention.

FLXP0054

HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305

4. FIRST AID MEASURES

Swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of

a physician. Never give anything by mouth to an unconscious person.

Notes To Physician: Provide symptomatic/supportive care as necessary. Treatment based on sound

judgment of physician and individual reactions of patient.

5. FIRE FIGHTING MEASURES

Flash Point (°F/C): 520°F / 271°C

Flash Point Method: Cleveland Open Cup

Autoignition Temp. (°F/C): 680°F / 360°C
Lower Explosion Limit (LEL): Not Determined
Upper Explosion Limit (UEL): Not Determined.

Extinguishing Media: Use water fog, carbon dioxide, foam or dry chemical.

Special Exposure Hazards: Fight fire from a safe distance and from a protected location. Combustible dust when

in a finely divided and highly suspended state. Use water spray to cool fire exposed

surfaces. Do not allow runoff to enter waterways.

Special Protective Equipment: Fire fighters should wear full impervious protective clothing, including self-contained

breathing equipment.

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire. Fire produces highly toxic

sulfur dioxide gas.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Isolate the area. Turn off/remove all potential sources of ignition. Work only with

non-sparking tools and equipment. Wear gloves.

Procedure for Scoop up and remove material. Reuse if not contaminated. Do NOT spread spilled

product with water.

CERCLA Reportable Quantity

Cleaning/Absorption:

(RQ):

Not Applicable

7. HANDLING AND STORAGE

Handling: Good hygienic practices should be observed. Work clothes should be washed

separately at the end of each work day. Disposable clothing should be discarded with material. Avoid generating or breathing dust. Avoid contact with eyes, skin and clothing. Reclose containers of unused product. Wash hands before eating,

drinking, chewing gum, using tobacco or using the toilet. Do not reuse this container.

Storage: Store closed containers in a cool, dry, well-ventilated area. Store away from strong

oxidizing materials. Avoid exposure to direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye Protection: Wear safety glasses or goggles to protect against exposure. Eye protection is not

required during typical product use conditions

Skin Protection: Normal work coveralls. Launder contaminated clothing before reuse.

Gloves: Use gloves as a standard industrial handling procedure. All cleanable impervious

glove types are acceptable.

Respiratory Protection: Appropriate respiratory protection shall be worn when applied engineering controls

are not adequate to protect against inhalation exposure. Firefighting: Use a Positive

Pressure Demand Full Face Self Contained Breathing Apparatus.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to

within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air

pollutions control regulations. Eliminate ignition sources.

Airborne Exposure Limits: Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m³ (Total Dust). OSHA PEL/8-Hr

TWA = 05 mg/m³ (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m³. White Mineral Oil OSHA PEL/8-Hr TWA = 5mg/m³ ACGIH TLV/8-Hr TWA = 5mg/m³.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off-white powder.
Odor: SLIGHT AROMATIC

pH: Not Applicable Specific Gravity: 1.54 @ 20°C

Density: 1.54

Bulk Density: 1540 kg/m³

Compacted Bulk Density = 570 kg/m³

Melting Point (°F/C): 365°F / 180°C
Boiling Point (°F/C): 500°F / 260°C
Vapor Pressure: Negligible
Vapor Density (Air=1): Not Applicable

% Volatile by Volume: <0.5%

Solubility in Water: <0.01 g/ml @20°C

Other Solubility: Slightly soluble in Ethanol Acetone

Viscosity: Not Applicable

Other Data: Decomposes above boiling point

Molecular Weight: 332.38

Molecular Formula: C14-H8-N2-S4

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored at room temperature in closed, original container. Stable under

normal conditions of handling, use and transportation.

Carbon monoxide. Oxides of nitrogen. Oxides of sulfur.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Keep away from heat, sparks and flame. Dispersion of dust. Avoid contact with

strong oxidants such as liquid chlorine and concentrated oxygen.

Materials to Avoid: Strong oxidizing agents. Strong acids.

Hazardous Decomposition

Products:

Additional Guidelines: None.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD50 (mg/kg): >7940 mg/kg (Rat)
Acute Dermal LD50 (mg/kg): >7940 mg/kg (Rabbit)
Acute Inhalation LC50 (mg/l): Not Determined

Target Organs / Principle Routes of Exposure: Eyes. Inhalation. Dermal - skin.

Ingestion: Swallowing a relatively large amount of this material is unlikely to produce serious

illness or death.

Skin Contact: May cause an allergic skin reaction. May cause a rash and itching of the skin. May

cause skin defatting with prolonged exposure.

Inhalation: May cause mild respiratory irritation.

11. TOXICOLOGICAL INFORMATION

Eye Contact: May cause mild eye irritation. Mild Eye Irritation: signs/symptoms can include

redness, swelling, pain and tearing.

Aggravated Conditions: Pulmonary disorders. Dermal ailments. Eye ailments.

Carcinogenicity Comment: This product, or one of its ingredients present at 0.1% or more, is NOT listed as a

carcinogen or suspected carcinogen by NTP, IARC or OSHA.

Other Information: No other first aid needed. Only hazard is a dust hazard.

Primary Irritation Effect: Practically non-irritating

Carcinogenicity: Negative in standard tests using bacteria and/or yeast cells.

Genotoxicity: None

Reproductive/Developmental

Toxicity:

No evidence of teratogenicity in animal studies using rats, mice and/or hamsters.

12. ECOLOGICAL INFORMATION

Acute Fish Toxicity: 96Hr LC50 Rainbow Trout = 66.0 mg/l. 96Hr LC50 Bluegill Sunfish = 82.0 mg/l.

96Hr LC50 Fathead Minnow = >1000 mg/l. 48Hr LC50 Daphnia Magna = 82.0 mg/l

Acute Crustaceans Toxicity: 48Hr LC50 Daphnia Magna = 82.0 mg/l 96Hr EC50 Algae (cell number) = 0.7 mg/l

Octanol/Water Coefficient: 4.5 (Estimated)

Chemical Fate Information: Sunlight Photolysis: T(1/2) = 3 hours.

Other Information: Marginally susceptable to indirect photolysis.

13. DISPOSAL CONSIDERATIONS

Disposal of Waste Method: This material is not a RCRA hazardous waste. Bury in a licensed landfill or burn in

an approved incinerator according to federal, state, and local regulations. Empty containers should be handled in a manner not to cause dusting during collection,

transporation and disposal.

Contaminated Packaging: If empty container retains product residues, all label precautions must be observed.

Store away from ignition sources. Transport with all closures in place. Return for reuse or dispose according to national or local regulations. Dispose of container

according to national or local regulations.

14. TRANSPORT INFORMATION

DOT: UN 3077, Environmentally Hazardous Substance, Solid, N.O.S., (2,2'-

Dithiobis(benzothiazole)), 9, III

DOT Reportable Quantity (lbs): None

ICAO/IATA: See DOT IMDG: See DOT Marine Pollutant: No

TDG (Canada): See DOT

Remarks: NOTE: NEW shipping description effective May 21, 2007.

15. REGULATORY INFORMATION

Worldwide Inventory Status

USA (TSCA):

Canada (DSL):

Listed

Listed

Canada (NDSL): Not Applicable. Listed on the DSL.

European Union (EINECS/ELINCS):

Japan (ENCS):

Korea (ECL):

Australia (AICS):

Listed

Listed

FLXP0054

15. REGULATORY INFORMATION

New Zealand (NZ):

Phillipines (PICCS):

China (CLECS):

Listed

Listed

Listed

US Regulatory Rules

SARA Section 302: SARA 311/312 Hazard Catagories:

SARA 313 Chemical: RCRA Status:

None Found Immediate Fire Not Applicable / None Not a RCRA waste.

Other Regulations:

California Proposition 65:
New Jersey Right-to-Know List:
Pennsylvania Right to Know List:
Florida Right to Know:
Minnesota Right to Know:
Massachusetts Right to Know Law:

FDA Status 21 CFR:

Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber Articles Intended for Repeated Use in

Food Contact. 175.105 Components of Adhesives.

Canadian Regulations

WHMIS Hazard Class:

D2B TOXIC MATERIALS / Materials Causing Other Toxic

Effects

NONE

Not Applicable. Not Applicable.

Not Applicable.

Not applicable

Not Applicable.

NPRI:

Not Listed. [Canada]

16. OTHER INFORMATION

Hazard Rating Systems:

HMIS Classification:

NFPA Rating:

HEALTH 1, FLAMMABILITY 1, REACTIVITY 0 HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

The following has been revised

New MSDS format. Transport information or classification has been

since the last issue of this MSDS: changed/corrected.

Additional Information:

WHMIS Ingredient Disclosure List (Canada): WHMIS Concentration threshold = 1%.

Important Note: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS