

# **Material Safety Data Sheet**

Last Revision: 05/03/2007 Printing Date: 05/03/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
Product Name:	PERKACIT® ZDBC
MSDS NO.	FLXP0025
Chemical Name: Synonyms: Use: Manufactured By:	Zinc Dibutyldithiocarbamate Bis(dibutyldithiocarbamato)zinc; Butasan; ZBC Accelerator. Flexsys America L.P. 260 Springside Drive Akron OH 44333-2433 USA
Emergency Telephone:	CHEMTREC: 1-800-424-9300 [TOLL FREE - USA and Territories] 703-527-3887 [ELSEWHERE - Collect Calls Accepted] CANUTEC: 613-996-6666 [Canada] SETIQ: 91-800-00-214 [Mexico]
Prepared By:	Flexsys America Product Safety: Phone (330) 668-8281 FAX (330) 668-8345 E:mail sharen.b.breyer@flexsys.com
	2. HAZARDS IDENTIFICATION
Emergency Overview:	WARNING! Combustible dust - explosion potential. This material is irritating to skin, eyes and respiratory tract. May cause alcohol intolerance.
Eye Contact:	Causes mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.
Skin Contact:	May cause an allergic skin reaction. May be absorbed through the skin and product effects similiar to those caused by inhalation and/or ingestion. May cause skin defatting with prolonged exposure.
Inhalation:	Exposure to dust particles generated from this material may cause irritation of the respiratory tract. Inhalation may cause alcohol intolerance
Ingestion:	May cause alcohol intolerance (Antabuse Effect). May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation. Practically non-toxic if swallowed.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Zinc Dibutyldithiocarbamate	136-23-2	96 - 99
White Mineral Oil [-pdr-d form ONLY]	8042-47-5	1 - 2

# 4. FIRST AID MEASURES

In Eyes:	In case of contact, immediately flush and get medical attention if irritation	eyes with plenty of water for at least 15 minutes persists.
On Skin:	Remove contaminated clothing and I	aunder before reuse. Wash with soap and for the formation of the formation
Inhaled:	Remove person to fresh air. If not be difficult, get immediate medical atten	reathing, give artificial respiration. If breathing is tion.
	FLXP0025	MARKETED BY

60 S. Seiberling Street • Akron, Ohio 44305

	4. FIRST AID MEASURES
Swallowed:	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.
Notes To Physician:	Treat symptomatically. Exposure by ingestion, inhalation or skin absorbtion may cause alcohol intolerance (Antabuse Effect).
	5. FIRE FIGHTING MEASURES
Flash Point (°F/C): Flash Point Method: Autoignition Temp. (°F/C): Lower Explosion Limit (LEL): Upper Explosion Limit (UEL):	227°F / 108°C (Approximate) Tag Closed Cup (TCC) 752°F / 400°C 20 g/m <sup>3</sup> Not Determined.
Extinguishing Media: Special Exposure Hazards:	Use water fog, carbon dioxide, foam or dry chemical. Fight fire from a safe distance and from a protected location. Use water spray to cool fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow runoff to enter waterways.
Special Protective Equipment:	Full protective clothing and approved self-contained breathing apparatus required for
Unusual Fire/Explosion Hazards:	fire fighting personnel. Toxic emissions may result if product is involved in a fire. Combustible dust - explosion potential.
	6. ACCIDENTAL RELEASE MEASURES
Collin Descendariose	Mean protective equipment exception Avoid the concretion of duct. Sween vacuum
Spill Procedures:	Wear protective equipment specified. Avoid the generation of dust. Sweep, vacuum, or shovel and place into closable container for disposal.
Procedure for Cleaning/Absorption:	Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Scoop up and remove solids. Do NOT spread spilled product with water.
CERCLA Reportable Quantity (RQ):	Not Applicable
	7. HANDLING AND STORAGE
Handling:	Avoid contact with eyes, skin and clothing. Avoid generating or breathing dust. Wash thoroughly with soap and water after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Reclose containers of unused product. Keep containers tightly closed when not in use. Do not reuse this container.
Storage:	Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing materials. Avoid exposure to direct sunlight.
8. EXP	OSURE CONTROLS / PERSONAL PROTECTION
Eye Protection: Skin Protection: Gloves: Respiratory Protection:	Wear safety glasses or goggles to protect against exposure. Normal work coveralls. Launder contaminated clothing before reuse. Use gloves as a standard industrial handling procedure. All cleanable impervious glove types are acceptable. Use in a well ventilated area. Use approved NIOSH respiratory protection if TLV exceeded or if overexposure is likely. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.
	ELXP0025

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION** 8.

Ventilation:

General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air pollutions control regulations. Eliminate ignition sources.

Airborne Exposure Limits:

Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m<sup>3</sup> (Total Dust). OSHA PEL/8-Hr TWA = 05 mg/m<sup>3</sup> (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m<sup>3</sup>. White Mineral Oil OSHA PEL/8-Hr TWA = 5mg/m<sup>3</sup> ACGIH TLV/8-Hr TWA = 5mg/m<sup>3</sup>.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

Off-white powder. Appearance: SLIGHT Odor: Not Applicable. pH: **Specific Gravity:** 1.27 @20°C 1270 kg/m<sup>3</sup> **Density:** 310 - 350 kg/m3 ZDBC-pdr **Bulk Density:** 330 - 370 kg/m3 ZDBC-pdr-d 212°F / 100°C [minimum] Melting Point (°F/C): Boiling Point (°F/C): 296°C Vapor Pressure: 5.8E-011 mm Hg @ 25°C Not Determined Vapor Density (Air=1): % Volatile by Volume: <0.5% by weight Solubility in Water: 0.01 mg/l @ 25°C Soluble in: Benzene Carbon Disulfide Organic liquids, including fats and oils **Other Solubility:** Acetone Not Applicable. Viscosity: Zinc Content: 13.5 - 14.8% **Other Data: Molecular Weight:** 474.13 C18-H36-N2-S4-Zn Molecular Formula:

### **10. STABILITY AND REACTIVITY**

Chemical Stability:	I Stability: Stable when stored at room temperature in closed, original container. Stable under normal conditions of handling, use and transportation.	
Hazardous Polymerization:	Will not occur.	
Conditions to Avoid:	Keep away from heat, sparks and flame. Avoid contact with strong oxidants such as liquid chlorine and concentrated oxygen.	
Materials to Avoid:	Strong oxidizing agents. Acids.	
Hazardous Decomposition Products:	Carbon monoxide. Oxides of nitrogen. Oxides of sulfur. Toxic zinc metal fumes	
Additional Guidelines:	Not Applicable	
	11 TOXICOLOGICAL INFORMATION	

Acute Oral LD50 (mg/kg): >5000 mg/kg (Rat) Acute Dermal LD50 (mg/kg): Acute Inhalation LC50 (mg/l):

>2000 mg/kg (Rabbit) Not Determined.

Target Organs / Principle Routes of Exposure: Dermal - skin. Inhalation.

Ingestion:

**Skin Contact:** 

May cause alcohol intolerance (Antabuse Effect). May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation. Practically non-toxic if swallowed. May cause an allergic skin reaction. May be absorbed through the skin and product effects similiar to those caused by inhalation and/or ingestion. May cause skin defatting with prolonged exposure.

**FLXP0025** 

e course of the sector of the	11. TOXICOLOGICAL INFORMATION
Inhalation:	Exposure to dust particles generated from this material may cause irritation of the
Eye Contact:	respiratory tract. Inhalation may cause alcohol intolerance Causes mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness,
Lye contact.	swelling, pain and tearing.
Aggravated Conditions:	Alcohol consumption problems. Pulmonary disorders. This material or its emissions
	may cause an allergic or sensitization reaction and thereby aggravate systemic
O	disease.
Carcinogenicity Comment:	This product, or one of its ingredients present at 0.1% or more, is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC or OSHA. NOTE: May react with
	nitrosating agents during rubber vulcanization to form nitrosamines. Some
	nitrosamines are suspect human carcinogens.
Other Information:	Decomposition products and fumes from vulcanization and cross-linking may cause
	eye, skin and respiratory sensitization. May be a skin sensitizer.
Primary Irritation Effect:	Practically non-irritating Negative in standard tests using bacteria and/or yeast cells.
Carcinogenicity: Genotoxicity:	Negative for genetic activity - in vitro tests. Negative for genetic activity - in vivo
Conocoxiony.	tests.
Reproductive/Developmental	Did not affect reproductive performance or post-natal development in animal studies.
Toxicity:	Embryotoxicity reported in studies conducted on chicken embryos.
	12. ECOLOGICAL INFORMATION
Acute Fish Toxicity:	96Hr LC50 Rainbow Trout = 520 mg/l. 96Hr LC50 Bluegill Sunfish = 880 mg/l.
Acute Crustaceans Toxicity:	48Hr EC50 Daphnia Magna = 0.74 mg/l
Acute Algae Toxicity: Octanol/Water Coefficient:	Not Determined. Structurally-similar compounds are highly toxic to green algae. Log P = 7.04 [Estimated]
Chemical Fate Information:	Not determined. Similar compounds show low to moderate biodegradability. Similar
	compounds show rapid hydrolysis under acidic conditions.
Other Information:	Similar compounds show a low potential for bioaccumulation and environmental
	persistance. Bioconcentration Factor [BCF] = <100.
	13. DISPOSAL CONSIDERATIONS
	This such as if discussed as a solid in the second se
Disposal of Waste Method:	This product, if disposed as received, is a non-hazardous waste. Bury in a licensed landfill or burn in an approved incinerator according to federal, state, and local
	regulations. Federal, state and local disposal laws and regulations will determine the
	proper waste disposal/recycling/reclamation procedure. Disposal requirements are
	dependent on the hazard classification and will vary by location and the type of
	disposal selected.
Contaminated Packaging:	If empty container retains product residues, all label precautions must be observed.
	Transport with all closures in place. Return for reuse or dispose according to
	national or local regulations. Do NOT reuse container. Dispose of container
	according to national or local regulations.
	14. TRANSPORT INFORMATION
DOT	
DOT:	UN3077, Environmentally Hazardous Substance, Solid, N.O.S., (Zinc Dibutyldithiocarbamate), 9, III
DOT Reportable Quantity (lbs):	None
ICAO/IATA:	See DOT
IMDG:	See DOT
Marine Pollutant:	No
TDG (Canada):	See DOT
	NOTE: NEW shipping description effective May 21, 2007.
Remarks:	NOTE. NEW shipping description elective may 21, 2007.
Remarks:	
Remarks:	FLXP0025
Remarks:	

# **15. REGULATORY INFORMATION**

#### Worldwide Inventory Status

USA (TSCA):	
Canada (DSL):	
Canada (NDSL):	
European Union (EINECS/ELINCS):	
Japan (ENCS):	
Korea (ECL):	
Australia (AICS):	
New Zealand (NZ):	
Phillipines (PICCS):	
China (CLECS):	

**US Regulatory Rules** 

SARA Section 302:	
SARA 311/312 Hazard	Catagories:
SARA 313 Chemical:	
RCRA Status:	

**Other Regulations:** 

California Proposition 65: New Jersey Right-to-Know List: Pennsylvania Right to Know List: Florida Right to Know: Minnesota Right to Know: Massachusetts Right to Know Law:

FDA Status 21 CFR:

Canadian Regulations

WHMIS Hazard Class:

NPRI:

Listed Listed Not Applicable. Listed on the DSL. Listed Listed Listed Listed Listed Listed Listed

None Found Immediate Fire As "Zinc Compounds"; De Minimis concentration = 1.0%. Not a RCRA waste.

NONE As "Zinc Compounds". NJ Substance #3012. As "Zinc Compounds". Not Applicable. Not Applicable As "Zinc Compounds".

Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber Articles Intended for Repeated Use in Food Contact. 175.105 Components of Adhesives. 175.300 Resinous and Polymeric Coatings. 177.1210 Closures with Sealing Gaskets for Food Containers. 178.2010 Antioxidants and/or Stabilizers for Polymers.

D2B TOXIC MATERIALS / Materials Causing Other Toxic Effects Listed under the category "Zinc and Its Compounds", NPRI Part 1, Group 1, ID# 231 [Canada]. Minimum concentration to report = 1%.

### **16. OTHER INFORMATION**

#### Hazard Rating Systems:

HMIS Classification:	HEALTH 1, FLAMMABILITY 1, REACTIVITY 0
NFPA Rating:	HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

The following has been revised New MSDS format. Transport information or classification has been since the last issue of this MSDS: changed/corrected.

Additional Information:

NOTE: MINERAL OIL IS PRESENT IN THE DEDUSTED (pdr-d) PRODUCT FORM ONLY.

#### **FLXP0025**

**Important Note:** This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

# \*\*\*END OF MSDS\*\*\*

FLXP0025