

# **Material Safety Data Sheet**

**Last Revision:** 05/03/2007 **Printing Date:** 05/03/2007

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

PERKACIT® ZBEC

MSDS NO.

FLXP0024

**Chemical Name:** 

Zinc Dibenzyldithiocarbamate

Synonyms:

Bis(Dibenzyldithiocarbamato)zinc; Zinc bis[bis(phenylmethyl)carbamodithioato-kappa

S, kappa S'-]-(T-4)-

Use:

Accelerator.

Manufactured By:

Flexsys America L.P. 260 Springside Drive Akron OH 44333-2433 USA

Emergency Telephone:

CHEMTREC: 1-800-424-9300 [TOLL FREE - USA and Territories]

703-527-3887 [ELSEWHERE - Collect Calls Accepted]

CANUTEC: 613-996-6666 [Canada] SETIQ: 91-800-00-214 [Mexico]

Prepared By:

Flexsys America Product Safety: Phone (330) 668-8281 FAX (330) 668-8345

E:mail sharen.b.breyer@flexsys.com

### 2. HAZARDS IDENTIFICATION

**Emergency Overview:** 

WARNING! Combustible dust - explosion potential. This material is irritating to skin,

eyes and respiratory tract. May cause alcohol intolerance.

**Eye Contact:** 

Causes mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness,

swelling, pain and tearing.

**Skin Contact:** 

May cause an allergic skin reaction. May be absorbed through the skin and product

effects similiar to those caused by inhalation and/or ingestion. May cause skin

defatting with prolonged exposure.

Inhalation:

Exposure to dust particles generated from this material may cause irritation of the

respiratory tract. Inhalation may cause alcohol intolerance

Ingestion:

May cause alcohol intolerance (Antabuse Effect). May cause headache, dizziness,

nausea, vomiting, gastrointestinal irritation.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Zinc Dibenzyldithiocarbamate	14726-36-4	> 96
White Mineral Oil [-pdr-d form ONLY]	8042-47-5	1 - 2

### 4. FIRST AID MEASURES

In Eyes:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

On Skin:

Remove contaminated clothing and launder before reuse. Wash with soap and water. If irritation persists or signs of toxicity occur, seek medical attention.

FLXP0024

HARWICK STANDARD
DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305

FIRST AID MEASURES

Inhaled: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, get immediate medical attention.

Swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of

a physician. Never give anything by mouth to an unconscious person.

Notes To Physician: Treat symptomatically. Exposure by ingestion, inhalation or skin absorbtion may

cause alcohol intolerance (Antabuse Effect).

### 5. FIRE FIGHTING MEASURES

Flash Point (°F/C): 200°F / 93.3°C

Flash Point Method: Tag Closed Cup [TCC]

Autoignition Temp. (°F/C): 896°F / 480°C Lower Explosion Limit (LEL): 40 g/m<sup>3</sup>

**Upper Explosion Limit (UEL):** Not Determined.

**Extinguishing Media:** Use water fog, carbon dioxide, foam or dry chemical.

Special Exposure Hazards: Fight fire from a safe distance and from a protected location. Use water spray to cool

fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow

runoff to enter waterways.

**Special Protective Equipment:** Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire. May form flammable

air/dust mixtures. Kst = 168 bar.m/s. Minimum Ignition Energy (MIE) = <3 mJ.

#### 6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Wear protective equipment specified. Avoid the generation of dust. Sweep, vacuum,

or shovel and place into closable container for disposal.

Procedure for

Isolate area and remove sources of friction, impact, heat, low level electrical current, Cleaning/Absorption: and RF energy. Scoop up and remove solids. Do NOT spread spilled product with

water.

**CERCLA Reportable Quantity** 

(RQ):

Not Applicable

#### 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid generating or breathing dust.

Wash thoroughly with soap and water after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Reclose containers of unused product. Keep containers tightly closed when not in use. Do not reuse this

container.

Storage: Store closed containers in a cool, dry, well-ventilated area. Store away from strong

oxidizing materials. Avoid exposure to direct sunlight.

### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Eye Protection:** Wear safety glasses or goggles to protect against exposure.

**Skin Protection:** Normal work coveralls. Launder contaminated clothing before reuse.

Gloves: Use gloves as a standard industrial handling procedure. All cleanable impervious

glove types are acceptable.

**Respiratory Protection:** Use in a well ventilated area. Use approved NIOSH respiratory protection if TLV

> exceeded or if overexposure is likely. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against

inhalation exposure.

FLXP0024

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to

within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air

pollutions control regulations. Eliminate ignition sources.

Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m3 (Total Dust). OSHA PEL/8-Hr Airborne Exposure Limits:

TWA = 05 mg/m<sup>3</sup> (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m<sup>3</sup>. White Mineral Oil OSHA PEL/8-Hr TWA = 5mg/m<sup>3</sup> ACGIH TLV/8-Hr TWA = 5mg/m<sup>3</sup>.

## PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white powder

Odor: SLIGHT Not Applicable pH: 1.42 @20°C **Specific Gravity:** 1420 kg/m<sup>3</sup> @20°C Density:

210 - 250 kg/m3 ZBEC-pdr **Bulk Density:** 260 - 300 kg/m3 ZBEC-pdr-d

Melting Point (°F/C): 352°F / 178°C Boiling Point (°F/C): Not Determined Negligible @ 20°C

Vapor Pressure: Vapor Density (Air=1): Not Applicable % Volatile by Volume: <0.5% by weight Solubility in Water: Practically Insoluble.

Other Solubility: Soluble in: Benzene Carbon Disulfide Organic liquids, including fats and oils

Acetone

Viscosity: Not Applicable.

Other Data: Zinc Content: 10.2 - 11.3 %

Molecular Weight: 610

C30-H28-N2-S4-Zn Molecular Formula:

## STABILITY AND REACTIVITY

**Chemical Stability:** Stable when stored at room temperature in closed, original container. Stable under

normal conditions of handling, use and transportation.

**Hazardous Polymerization:** Will not occur.

Conditions to Avoid: Keep away from heat, sparks and flame. Avoid contact with strong oxidants such as

liquid chlorine and concentrated oxygen.

Materials to Avoid: Strong oxidizing agents. Acids.

**Hazardous Decomposition** Carbon monoxide. Oxides of nitrogen. Oxides of sulfur. Toxic zinc metal fumes

Products:

**Additional Guidelines:** Not Applicable

## TOXICOLOGICAL INFORMATION

Acute Oral LD50 (mg/kg): >5000 mg/kg (Rat) Acute Dermal LD50 (mg/kg): Not Determined Acute Inhalation LC50 (mg/l): Not Determined

Target Organs / Principle Routes of Exposure: Dermal - skin. Inhalation.

May cause alcohol intolerance (Antabuse Effect). May cause headache, dizziness, Ingestion:

nausea, vomiting, gastrointestinal irritation.

**Skin Contact:** May cause an allergic skin reaction. May be absorbed through the skin and product

effects similiar to those caused by inhalation and/or ingestion. May cause skin

defatting with prolonged exposure.

11. TOXICOLOGICAL INFORMATION

Inhalation: Exposure to dust particles generated from this material may cause irritation of the

respiratory tract. Inhalation may cause alcohol intolerance

Causes mild eye irritation. Mild Eye Irritation: signs/symptoms can include redness, **Eye Contact:** 

swelling, pain and tearing.

**Aggravated Conditions:** Alcohol consumption problems. Pulmonary disorders. This material or its emissions

may cause an allergic or sensitization reaction and thereby aggravate systemic

disease.

This product, or one of its ingredients present at 0.1% or more, is NOT listed as a Carcinogenicity Comment:

carcinogen or suspected carcinogen by NTP, IARC or OSHA. NOTE: May react with

nitrosating agents during rubber vulcanization to form nitrosamines. Some

nitrosamines are suspect human carcinogens.

Other Information: Decomposition products and fumes from vulcanization and cross-linking may cause

eye, skin and respiratory sensitization. May be a skin sensitizer.

**Primary Irritation Effect:** 

Practically non-irritating Carcinogenicity: Negative in the Ames test on bacteria cells.

Genotoxicity: Negative for genetic activity - in vitro tests.

Reproductive/Developmental

Toxicity:

Not Determined. Similar compounds show no effects in animal studies.

### **ECOLOGICAL INFORMATION**

**Acute Fish Toxicity:** 

**Acute Crustaceans Toxicity:** 

**Acute Algae Toxicity:** Octanol/Water Coefficient:

**Chemical Fate Information:** Other Information:

96Hr EC50 Zebra Fish: >10 mg/l.

Not determined. Similar compounds show at least moderate toxicity to daphnids. Not determined. Similar compounds are at least moderately toxic to algae.

Not Determined.

Not determined. Similar compounds show low to moderate biodegradability. Similar compounds exhibit at least moderate toxicity to aquatic species.

#### **DISPOSAL CONSIDERATIONS** 13.

Disposal of Waste Method:

This product, if disposed as received, is a non-hazardous waste. Bury in a licensed landfill or burn in an approved incinerator according to federal, state, and local regulations. Federal, state and local disposal laws and regulations will determine the proper waste disposal/recycling/reclamation procedure. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected.

Contaminated Packaging:

If empty container retains product residues, all label precautions must be observed. Transport with all closures in place. Return for reuse or dispose according to national or local regulations. Do NOT reuse container. Dispose of container according to national or local regulations.

#### TRANSPORT INFORMATION

DOT:

Not Regulated

DOT Reportable Quantity (lbs): ICAO/IATA:

None See DOT

IMDG:

See DOT

**Marine Pollutant:** 

No

TDG (Canada):

See DOT

Remarks:

None

#### 15. REGULATORY INFORMATION

**Worldwide Inventory Status** 

15. REGULATORY INFORMATION

USA (TSCA): Canada (DSL): Listed Listed

Canada (NDSL): European Union (EINECS/ELINCS): Not Applicable. Listed on the DSL.

Japan (ENCS):
Korea (ECL):
Australia (AICS):
New Zealand (NZ):
Phillipines (PICCS):
China (CLECS):

Listed
Listed
Listed
Listed
Listed
Listed
Listed
Listed
Listed

**US Regulatory Rules** 

SARA Section 302:

SARA 311/312 Hazard Catagories:

SARA 313 Chemical:

RCRA Status:

Not Applicable / None

**Immediate** 

As "Zinc Compounds"; De Minimis concentration = 1.0%.

Not a RCRA waste.

Other Regulations:

California Proposition 65: New Jersey Right-to-Know List:

Pennsylvania Right to Know List: Florida Right to Know:

Minnesota Right to Know:

Massachusetts Right to Know Law:

NONE

Listed As "Zinc Compounds". NJ Substance #3012.

Listed As "Zinc Compounds".

Not Applicable. Not Applicable.

Listed As "Zinc Compounds".

FDA Status 21 CFR:

Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber Articles Intended for Repeated Use in Food Contact. 175.105 Components of Adhesives.

Canadian Regulations

**WHMIS Hazard Class:** 

D2B TOXIC MATERIALS / Materials Causing Other Toxic

Effects

NPRI:

Listed under the category "Zinc and Its Compounds", NPRI Part 1, Group 1, ID# 231 [Canada]. Minimum concentration

to report = 1%.

# 16. OTHER INFORMATION

**Hazard Rating Systems:** 

HMIS Classification: NFPA Rating:

HEALTH 2, FLAMMABILITY 1, REACTIVITY 0 HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

The following has been revised since the last issue of this MSDS:

New MSDS format.

Additional Information:

"Zinc Compounds" are included on the Connecticut, California, Michigan and Illinois Hazardous Materials Lists (USA). "Zinc Compounds" are also regulated as a Clean Water Act regulated substance [USA]. Mexico has established Drinking Water, Wastewater and Ecological Criteria for the release of "Zinc Compounds".

**Important Note:** This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*