

# **Material Safety Data Sheet**

**Last Revision:** 05/07/2007 **Printing Date:** 05/07/2007

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** 

SULFASAN® DTDM

MSDS NO.

FLXP0052

**Chemical Name:** 

4,4'-Dithiobismorpholine

Synonyms:

Sulfasan R; Dimorpholinodisulfide; N,N'-Dithiodimorpholine

Use:

Sulfur Donor

Manufactured By:

Flexsys America L.P. 260 Springside Drive Akron OH 44333-2433 USA

**Emergency Telephone:** 

CHEMTREC: 1-800-424-9300 [TOLL FREE - USA and Territories]

703-527-3887 [ELSEWHERE - Collect Calls Accepted]

CANUTEC: 613-996-6666 [Canada] SETIQ: 91-800-00-214 [Mexico]

Prepared By:

Flexsys America Product Safety: Phone (330) 668-8281 FAX (330) 668-8345

E:mail sharen.b.brever@flexsvs.com

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview:** 

WARNING! Combustible dust - explosion potential. May be toxic if absorbed through the skin. This material is irritating to skin, eyes and respiratory tract.

**Eye Contact:** 

Causes eye irritation. Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing and hazy vision.

Skin Contact:

May cause an allergic skin reaction. May cause a rash and itching of the skin. May

cause skin defatting with prolonged exposure.

Inhalation:

Causes moderate respiratory irritation. Irritating vapor causes immediate distress. Irritates mucous membranes. Irritation (upper respiratory): signs/symptoms can

include soreness of the nose and throat, coughing and sneezing.

Ingestion:

May be harmful if large amounts are swallowed. May cause vomiting.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
4,4'-Dithiobismorpholine	103-34-4	96 - 99
White Mineral Oil [-pdr-d form ONLY]	8042-47-5	1-2
Morpholine	110-91-8	0 - 0.5

## 4. FIRST AID MEASURES

In Eyes:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

On Skin:

Remove contaminated clothing. Wash skin with water, using soap if available. Remove contaminated clothing and launder before reuse. Get medical attention if

irritation persists.

FLXP0052

HARWICK STANDARD
DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305

FIRST AID MEASURES

Inhaled: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, get immediate medical attention.

Swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of

a physician. Never give anything by mouth to an unconscious person.

Notes To Physician: Provide symptomatic/supportive care as necessary. Treatment based on sound

judgment of physician and individual reactions of patient. Observe for signs of

respiratory distress.

FIRE FIGHTING MEASURES

Flash Point (°F/C):

309°F / 154°C

Flash Point Method:

Cleveland Open Cup

Autoignition Temp. (°F/C):

Not Determined

Lower Explosion Limit (LEL): Upper Explosion Limit (UEL): Not Determined Not Determined.

**Extinguishing Media:** 

Use water fog, carbon dioxide, foam or dry chemical.

Special Exposure Hazards:

Fight fire from a safe distance and from a protected location. Combustible dust when

in a finely divided and highly suspended state. Use water spray to cool fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow runoff to enter waterways.

**Special Protective Equipment:** 

Fire fighters should wear full impervious protective clothing, including self-contained

breathing equipment.

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire. Fire produces highly toxic

sulfur dioxide gas.

### 6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Wear protective equipment specified. Avoid the generation of dust. Sweep, vacuum,

or shovel and place into closable container for disposal.

Procedure for

Cleaning/Absorption:

Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Remove ignition sources and work with non-sparking tools. Scoop

up and remove solids. Do NOT spread spilled product with water.

**CERCLA Reportable Quantity** 

(RQ):

Not Applicable

#### HANDLING AND STORAGE

Handling: Good hygienic practices should be observed. Work clothes should be washed

separately at the end of each work day. Disposable clothing should be discarded with material. Avoid generating or breathing dust. Avoid contact with eyes, skin and clothing. Reclose containers of unused product. Wash hands before eating,

drinking, chewing gum, using tobacco or using the toilet. Do not reuse this container.

Storage:

Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing materials. Avoid exposure to direct sunlight. Do not store near Crystex Insoluble Sulfur. Slowly degrades and releases irritating vapors under warm, humid

conditions.

# **EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Eye Protection:** 

Wear safety glasses or goggles to protect against exposure.

Skin Protection:

Normal work coveralls. Launder contaminated clothing before reuse.

Gloves:

Use gloves as a standard industrial handling procedure. All cleanable impervious

glove types are acceptable.

**FLXP0052** 

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: Appropriate respiratory protection shall be worn when applied engineering controls

are not adequate to protect against inhalation exposure. Firefighting: Use a Positive

Pressure Demand Full Face Self Contained Breathing Apparatus.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to

within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air

pollutions control regulations. Eliminate ignition sources.

Airborne Exposure Limits: Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m³ (Total Dust). OSHA PEL/8-Hr

TWA = 05 mg/m³ (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m³. Morpholine: OSHA PEL/8Hr TWA = 20 ppm. ACGIH TLV/8Hr TWA = 20 ppm \*skin. NIOSH REL/8Hr TWA = 20 ppm \*skin. NIOSH STEL = 30 ppm \*skin

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white powder

Odor: MILD AMINE
pH: Not Applicable
Specific Gravity: 1.36 @ 25°C

Density: 1.4

Bulk Density: 1360 kg/m³
Melting Point (°F/C): 123-131°C
Boiling Point (°F/C): Not Determined
Vapor Pressure: Negligible
Vapor Density (Air=1): Not Determined

% Volatile by Volume: <0.5%

Solubility in Water: 0.0082 g/100ml @25°C

Other Solubility: Soluble in: Acetone Organic liquids, including fats and oils Alcohol Benzene

Naphtha

Viscosity: Not Applicable
Other Data: Not Determined

Molecular Weight: 236.4

Molecular Formula: C8-H16-N2-O2-S2

#### 10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored at room temperature in closed, original container. Stable under

normal conditions of handling, use and transportation. Stable if protected from heat

and exposure to air. Loses potency with time. Protect from moisture.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Keep away from heat, sparks and flame. Avoid contact with strong oxidants such as

liquid chlorine and concentrated oxygen.

Materials to Avoid: Reducing agents. Contact with acids. Avoid contamination of product with small

amounts of water. Do not store near Crystex Insoluble Sulfur.

Carbon monoxide. Oxides of nitrogen. Oxides of sulfur. Amines Hydrogen sulfide

**Hazardous Decomposition** 

Products:

Additional Guidelines: Amine vapors can cause insoluble sulfur to revert to soluble form.

### 11. TOXICOLOGICAL INFORMATION

Acute Oral LD50 (mg/kg): 5600 mg/kg (Rat)
Acute Dermal LD50 (mg/kg): >5010 mg/kg (Rabbit)
Acute Inhalation LC50 (mg/l): Not Determined

Target Organs / Principle Routes of Exposure: Eyes. Inhalation. Dermal - skin.

11. TOXICOLOGICAL INFORMATION

Ingestion: May be harmful if large amounts are swallowed. May cause vomiting.

**Skin Contact:** May cause an allergic skin reaction. May cause a rash and itching of the skin. May

cause skin defatting with prolonged exposure.

Inhalation: Causes moderate respiratory irritation. Irritating vapor causes immediate distress.

Irritates mucous membranes. Irritation (upper respiratory): signs/symptoms can

include soreness of the nose and throat, coughing and sneezing.

**Eve Contact:** Causes eye irritation. Moderate Eye Irritation: signs/symptoms can include redness.

swelling, pain, tearing and hazy vision.

**Aggravated Conditions:** Pulmonary disorders. Dermal ailments. Eye, skin, respiratory, blood, liver and/or

kidney ailments. This material or its emissions may cause an allergic or sensitization

reaction and thereby aggravate systemic disease.

This product, or one of its ingredients present at 0.1% or more, is NOT listed as a **Carcinogenicity Comment:** 

carcinogen or suspected carcinogen by NTP, IARC or OSHA.

Other Information: Decomposition products and fumes from vulcanization and cross-linking may cause

eye, skin and respiratory sensitization. May be a skin sensitizer. Product releases

amine vapors during cure.

**Primary Irritation Effect:** Moderately irritating Sensitizer.

Carcinogenicity: Negative, positive and equivocal results in have been found in standard in vitro and

in vivo tests using animals, animal and bacterial cells.

Genotoxicity: No adverse effects in standard tests using yeast cells.

Reproductive/Developmental No evidence of teratogenicity in animal studies using rats, mice and/or hamsters.

Toxicity:

#### **ECOLOGICAL INFORMATION**

**Acute Fish Toxicity:** 96Hr LC50 Rainbow Trout = 1.8 mg/l. 96Hr LC50 Bluegill Sunfish = 1.6 mg/l. 96Hr

LC50 Fathead Minnow = 3.5 mg/l. 48Hr EC50 Daphnia Magna = 4.5 mg/l.

Acute Crustaceans Toxicity:

Acute Algae Toxicity: 96Hr EC50 Algae = 29.0 mg/l. 310

Octanol/Water Coefficient:

Chemical Fate Information:

Bioconcentration Factor: 29 (calculated). Aqueous Photolysis: T(1/2) = 3 Hrs.

Other Information: Not Available

#### 13. DISPOSAL CONSIDERATIONS

This material is not a RCRA hazardous waste. Bury in a licensed landfill or burn in Disposal of Waste Method:

an approved incinerator according to federal, state, and local regulations. Empty containers should be handled in a manner not to cause dusting during collection.

transporation and disposal.

Contaminated Packaging: If empty container retains product residues, all label precautions must be observed.

Store away from ignition sources. Transport with all closures in place. Return for reuse or dispose according to national or local regulations. Dispose of container

according to national or local regulations.

#### TRANSPORT INFORMATION

DOT: UN 3077, Environmentally Hazardous Substance, Solid, N.O.S., (4,4'-

Dithiodimorpholine), 9, III

**DOT Reportable Quantity (lbs):** None

ICAO/IATA: See DOT IMDG: See DOT Marine Pollutant: No TDG (Canada): See DOT

Remarks: NOTE: NEW shipping description effective May 21, 2007.

# 15. REGULATORY INFORMATION

#### **Worldwide Inventory Status**

USA (TSCA): Listed
Canada (DSL): Listed

Canada (NDSL): Not Applicable. Listed on the DSL.

European Union (EINECS/ELINCS):

Japan (ENCS):

Korea (ECL):

Australia (AICS):

New Zealand (NZ):

Phillipines (PICCS):

Listed

China (CLECS):

Listed

Listed

Listed

Listed

#### **US Regulatory Rules**

SARA Section 302: None Found

SARA 311/312 Hazard Catagories:

SARA 313 Chemical:

RCRA Status:

Immediate Delayed Fire

Not Applicable / None

Not a RCRA waste.

#### Other Regulations:

California Proposition 65: NONE

New Jersey Right-to-Know List:

Pennsylvania Right to Know List:

Florida Right to Know:

Not Applicable.

Not Applicable.

Minnesota Right to Know: N/A

Massachusetts Right to Know Law: Not Applicable.

FDA Status 21 CFR: Regulated for Use under the following sections of 21 CFR:

177.2600 Rubber Articles Intended for Repeated Use in Food Contact. 175.105 Components of Adhesives.

## **Canadian Regulations**

WHMIS Hazard Class: D2B TOXIC MATERIALS / Materials Causing Other Toxic

Effects

NPRI: Not Listed. [Canada]

### 16. OTHER INFORMATION

# **Hazard Rating Systems:**

HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

NFPA Rating: HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

The following has been revised New MSDS format. Transport information or classification has been

since the last issue of this MSDS: changed/corrected.

Additional Information: WHMIS Ingredient Disclosure List (Canada):

**Important Note:** This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.