

Material Safety Data Sheet

Last Revision: 05/03/2007 **Printing Date:** 05/03/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

SANTOFLEX® 6PPD

MSDS NO.

FLXP0030

Chemical Name:

N-(1,3-Dimethylbutyl)-N'-phenyl-p-phenylenediamine

Synonyms:

Santoflex 13; Permanax 6PPD; 1,4-Benzenediamine, N(1,3-dimethylbutyl)-N'-

phenyl-

Use:

Antidegradant

Manufactured By:

Flexsys America L.P. 260 Springside Drive Akron OH 44333-2433 USA

Emergency Telephone:

CHEMTREC: 1-800-424-9300 [TOLL FREE - USA and Territories]

703-527-3887 [ELSEWHERE - Collect Calls Accepted]

CANUTEC: 613-996-6666 [Canada] SETIQ: 91-800-00-214 [Mexico]

Prepared By:

Flexsys America Product Safety: Phone (330) 668-8281 FAX (330) 668-8345

E:mail sharen.b.breyer@flexsys.com

2. HAZARDS IDENTIFICATION

Emergency Overview:

WARNING! May irritate the eyes. May irritate the skin. Avoid breathing dust. May

irritate the lungs.

Eye Contact:

Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.

May irritate eyes.

Skin Contact:

May cause an allergic skin reaction. Skin contact with molten material may result in

a thermal burn. Mild Skin Irritation (after prolonged or repeated contact):

sign/symptoms can include redness, swelling and itching.

Inhalation:

Exposure to dust particles generated from this material may cause irritation of the respiratory tract. Irritation (upper respiratory): signs/symptoms can include soreness

of the nose and throat, coughing and sneezing.

Ingestion:

Illness may occur after a single swallowing of relatively large quantities of this

material.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
N-(1,3-Dimethylbutyl)-N´-phenyl-p-phenylenediamine	793-24-8	> 97
4-Aminodiphenylamine	101-54-2	<1

4. FIRST AID MEASURES

In Eyes:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

FLXP0030

MARKETED BY

HARWICK STANDARD DISTRIBUTION CORPORATION

60 S. Seiberling Street • Akron, Ohio 44305

FIRST AID MEASURES

On Skin: Wash with soap and water. Remove contaminated clothing and launder before

reuse. Destroy or properly dispose of contaminated shoes. If irritation persists or

signs of toxicity occur, seek medical attention.

Inhaled: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, get immediate medical attention. If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

If swallowed, call a physician immediately. Only induce vomiting at the instruction of

a physician. Never give anything by mouth to an unconscious person. Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

Notes To Physician: Treat symptomatically.

FIRE FIGHTING MEASURES

Flash Point (°F/C):

400°F / 204°C

Flash Point Method:

Swallowed:

Cleveland Open Cup

Autoignition Temp. (°F/C): Lower Explosion Limit (LEL): Not determined. Not determined.

Upper Explosion Limit (UEL):

Not determined.

Extinguishing Media:

Use water fog, carbon dioxide, foam or dry chemical.

Special Exposure Hazards:

Fight fire from a safe distance and from a protected location. Use water spray to cool

fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow

runoff to enter waterways.

Special Protective Equipment:

Fire fighters should wear full impervious protective clothing, including self-contained

breathing equipment.

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Wear impervious personal protective equipment to protect eyes, skin and clothing. If material is in the liquid state, absorb liquid with inert materials. Scoop, sweep or

shovel solids and place in a closed container for proper disposal.

Procedure for

Cleaning/Absorption:

Isolate spill and stop leak where safe. Contain liquid spills with sand or other inert materials. Scoop up and remove solids. Do NOT spread spilled product with water.

Spilled material may stain and discolor surfaces.

CERCLA Reportable Quantity

(RQ):

Not Applicable

HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. Avoid breathing dust; if exposed to high dust concentration, leave area immediately. Keep away from food and smoking materials. Good hygienic practices should be observed. Work clothes should be washed separately at the end of each work day. Disposable clothing should be discarded with material. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Do not reuse this container. Storage at temperatures above 90 F for an extended period of time should be avoided. Reclose containers of unused

product. Keep containers tightly closed when not in use.

Storage: Store closed containers in a cool, dry, well-ventilated area. Store away from strong

oxidizing materials. Avoid exposure to direct sunlight. Storage at temperatures

above 90°C is NOT recommended.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Wear safety glasses or goggles to protect against exposure. Wear eye protection **Eye Protection:**

appropriate to handling activities. Employees should wear appropriate protective

(impervious) clothing and gloves when contact with material.

Normal work coveralls. Launder contaminated clothing before reuse. Skin Protection:

Use gloves as a standard industrial handling procedure. Appropriate chemical Gloves:

resistant gloves should be worn.

Respiratory Protection: Appropriate respiratory protection shall be worn when applied engineering controls

are not adequate to protect against inhalation exposure.

Ventilation: General: local exhaust ventilation as necessary to control any air contaminants to

within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air pollutions control regulations. Eliminate ignition sources. Use local exhaust to

control to recommended P.E.L.

Airborne Exposure Limits: Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m3 (Total Dust). OSHA PEL/8-Hr

TWA = 05 mg/m³ (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m³.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light pink to purple pastilles. Purple liquid above melt point.

Odor: **AROMATIC** pH: Not Applicable. **Specific Gravity:** 1.0 @ 60°C Density: 0.986 - 1.000**Bulk Density:** Not Determined

Melting Point (°F/C): 115-124°F / 46-51°C Boiling Point (°F/C): 441°F / 227°C @ 4Torr

Vapor Pressure: 0.064 Torr @ 162°C, 0.250 Torr @ 180°C, 1.0 Torr @ 200°C, 4.0 Torr @ 227°C

Vapor Density (Air=1): Not Determined

% Volatile by Volume: < 0.5%

Solubility in Water: INSOLUBLE 1.1 ppm @ 23°C

Other Solubility: Soluble in: Acetone Ethanol Benzene Naphtha Viscosity: 135-170 SUS @ 60°C; 27-38 cSt @ 60°C

Other Data: Crystallizing Point: 111°F / 44°C. Ash = 0.1% max.

Molecular Weight: 268.4 Molecular Formula: C18-H24-N2

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of handling, use and transportation. Stable if

protected from heat and exposure to air.

Hazardous Polymerization:

Will not occur.

Conditions to Avoid: Avoid contact with strong oxidants such as liquid chlorine and concentrated oxygen.

Contact with air. Long-term storage at temperatures above 90°C is NOT

recommended.

Materials to Avoid:

Strong oxidizers

Hazardous Decomposition

Oxides of nitrogen. Carbon monoxide.

Products:

Additional Guidelines: Not Applicable

11. TOXICOLOGICAL INFORMATION

Acute Oral LD50 (mg/kg): 3580 mg/kg (Rat) Acute Dermal LD50 (mg/kg): >7940 mg/kg (Rabbit) Not determined Acute Inhalation LC50 (mg/l):

11. TOXICOLOGICAL INFORMATION

Target Organs / Principle Routes of Exposure: Dermal - skin. Inhalation.

Ingestion: Illness may occur after a single swallowing of relatively large quantities of this

material.

Skin Contact: May cause an allergic skin reaction. Skin contact with molten material may result in

a thermal burn. Mild Skin Irritation (after prolonged or repeated contact):

sign/symptoms can include redness, swelling and itching.

Inhalation: Exposure to dust particles generated from this material may cause irritation of the

respiratory tract. Irritation (upper respiratory): signs/symptoms can include soreness

of the nose and throat, coughing and sneezing.

Eye Contact: Mild Eye Irritation: signs/symptoms can include redness, swelling, pain and tearing.

May irritate eyes.

Aggravated Conditions: Dermal ailments. Blood disorders. This material or its emissions may cause an

allergic or sensitization reaction and thereby aggravate systemic disease. Liver

disorders.

Carcinogenicity Comment: This product, or one of its ingredients present at 0.1% or more, is NOT listed as a

carcinogen or suspected carcinogen by NTP, IARC or OSHA.

Other Information: Decomposition products and fumes from vulcanization and cross-linking may cause

eve, skin and respiratory sensitization. May be a skin sensitizer.

Primary Irritation Effect: Slightly irritating

Carcinogenicity: Negative in standard tests using bacteria and/or yeast cells. Negative in standard

tests using animal cells.

Genotoxicity: Negative for genetic activity - in vitro tests. Negative for genetic activity - in vivo

tests.

Reproductive/Developmental

Toxicity:

Did not affect reproductive performance or post-natal development in animal studies. No evidence of teratogenicity in animal studies using rats, mice and/or hamsters.

12. ECOLOGICAL INFORMATION

Acute Fish Toxicity: 96Hr LC50 Rainbow Trout 0.13 mg/l 96Hr LC50 Bluegill Sunfish 0.13 mg/l 96Hr

LC50 Fathead Minnow 0.45 mg/l 48Hr EC50 Daphnia Magna 0.82 mg/l

Acute Crustaceans Toxicity: Acute Algae Toxicity:

Octanol/Water Coefficient: Chemical Fate Information: 96Hr EC50 Algae (Cell Number) 0.60 mg/l 59000 +/- 34000 (Calculated). Log P = 4.68. Bioconcentration Factor = 490 (calculated)

Other Information: Aerobic Biodegradation: 50% after 2.9 hours. Rapid degradation via hydrolysis: 93% after 24 hours at pH 7.0 and 25°C. Tests indicate this material will not bioaccumulate

or persist in the environment.

13. DISPOSAL CONSIDERATIONS

Disposal of Waste Method: This product is not regarded as hazardous waste. Dispose in accordance with local

regulations. Incineration recommended in approved incinerator according to federal,

state, and local regulations.

Contaminated Packaging: If empty container retains product residues, all label precautions must be observed.

Transport with all closures in place. Return for reuse or dispose according to

national or local regulations. Do NOT reuse container.

14. TRANSPORT INFORMATION

DOT: Not Regulated

DOT Reportable Quantity (lbs): None

ICAO/IATA: None

See DOT See DOT

IMDG: Marine Pollutant: TDG (Canada):

Not Regulated See DOT

FLXP0030

14. TRANSPORT INFORMATION

Remarks: None

15. REGULATORY INFORMATION

Worldwide Inventory Status

USA (TSCA): Listed
Canada (DSL): Listed

Canada (NDSL): Not Applicable. Listed on the DSL.

European Union (EINECS/ELINCS):

Japan (ENCS):

Korea (ECL):

Australia (AICS):

New Zealand (NZ):

Phillipines (PICCS):

Listed

China (CLECS):

Listed

Listed

Listed

Listed

Listed

US Regulatory Rules

SARA Section 302: Not Applicable / None

SARA 311/312 Hazard Catagories: Immediate

SARA 313 Chemical: Not Applicable / None RCRA Status: Not a RCRA waste.

Other Regulations:

California Proposition 65: NONE

New Jersey Right-to-Know List:

Pennsylvania Right to Know List:

Florida Right to Know:

Minnesota Right to Know:

Massachusetts Right to Know Law:

Not Applicable.

Not Applicable.

Not Applicable.

FDA Status 21 CFR: Not Regulated For Use in food contact applications under 21

CFR.

Canadian Regulations

WHMIS Hazard Class: D2B TOXIC MATERIALS / Materials Causing Other Toxic

Effects

NPRI: Not Listed. [Canada]

16. OTHER INFORMATION

Hazard Rating Systems:

HEALTH 1, FLAMMABILITY 1, REACTIVITY 0
NFPA Rating: HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

The following has been revised New MSDS format.

since the last issue of this MSDS:

Additional Information: Not Applicable

Important Note: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS