

# SAFETY DATA SHEET accordance with Annex II of Regulation (EC) No 1907/2006 and

its amendment(s)

#### **Product:**

# MIXLAND+® S 75-80 BA/GA/SGA

Page: 1 / 9

#### SDS No.: 100143-100 (Version 2.1)

Date 12.08.2021 (Cancel and replace : 28.08.2019)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Identification of the mixture: MIXLAND+® S 75-80 BA/GA/SGA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Curing chemical

#### 1.3. Details of the supplier of the safety data sheet

Supplier

MLPC International 209, Avenue Charles Despiau F-40370 RION-DES-LANDES, FRANCE Telephone: + 33 (0) 5 58 57 02 00 E-mail address: http://www.mlpc-intl.com fds@mlpc-intl.com

#### 1.4. Emergency telephone number

+1-703-741-5970 CHEMTREC international emergency phone number (ARKEMA CCN830055)

sulfur

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008): Skin irritation, 2, H315

Additional information:

For the full text of the H, EUH-phrases mentioned in this Section, see Section 16.

### 2.2. Label elements

#### Label elements (REGULATION (EC) No 1272/2008):

Hazardous components which must be listed on the label:

Hazard pictograms:

Signal word:

Warning

Hazard statements: H315 : Causes skin irritation. Precautionary statements:

Prevention: P264 : Wash skin thoroughly after handling. P280 : Wear protective gloves. **Response:** P302 + P352 : IF ON SKIN: Wash with plenty of water. P332 + P313 : If skin irritation occurs: Get medical advice/ attention. P362 + P364 : Take off contaminated clothing and wash it before reuse. **Disposal:** P501 : Dispose of contents and container to an approved incineration plant.

2.3. Other hazards : None.

#### Other:

#### Results of PBT and vPvB assessment :

According to REACH regulation, annex XIII, this mixture contains no substance meeting PBT and vPvB criteria.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Chemical nature of the mixture<sup>1</sup>:

Mixture based on: Polymer

#### Hazardous components (accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)) :

Chemical name <sup>1</sup> & REACH Registration Number <sup>2</sup>	EC-No.	CAS-No.	Concentration	Classification REGULATION (EC) No 1272/2008	specific concentration limit, M-Factors, Acute toxicity estimate
Sulfur (01-2119487295-27) (N° ANNEX: 016-094-00-1)	231-722- 6	7704-34- 9	75 - 80 %	Skin Irrit.2; H315	
Distillates (petroleum), hydrotreated light paraffinic (01-2119487077-29) (N° ANNEX: 649-468-00-3)	265-158- 7	64742- 55-8	1,5 - 12,5 %	Asp. Tox.1; H304 Nota L: DMSO <3%	

1: See chapter 14 for Proper Shipping Name

<sup>2</sup>:See the text of the regulation for applicable exceptions or provisions -

#### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of necessary first-aid measures:

#### General advice:

Take off immediately all contaminated clothing.

#### Inhalation:

Move to fresh air. Consult a physician.

#### Skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### Eye contact:

Wash well-open eyes immediately, abundantly and thoroughly with water. Consult an ophthalmologist.

#### Ingestion:

Call a physician immediately. Do not induce vomiting without medical advice. Rinse mouth.

#### Protection of first-aiders:

If entering a saturated atmosphere, wear a self contained breathing apparatus.

#### 4.2. Most important symptoms and effects, both acute and delayed: No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed: No data available.

#### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media:	Water spray, Foam, Dry powder
-------------------------------	-------------------------------

#### Unsuitable extinguishing media: All other extinguishants

# 5.2. Special hazards arising from the substance or mixture:

Thermal decomposition gives :, Nitrogen oxides (NOx), Sulphur oxides, Carbon oxides

#### 5.3. Advice for firefighters:

#### Specific methods:

Suppress gases, fumes and/or dust with water spray jet. Remove all sources of ignition.

#### Special protective actions for fire-fighters:

Wear self-contained breathing apparatus and protective suit.

Date 12.08.2021 (Cancel and replace : 28.08.2019)

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes and inhalation of dust.

#### 6.2. Environmental precautions:

Do not let product enter drains. Do not contaminate surface water.

#### 6.3. Methods and materials for containment and cleaning up:

#### Recovery:

Shovel or sweep up. Recover the product and place in a dry labelled container.

#### Elimination:

Dispose of as hazardous waste in compliance with local and national regulations.

#### 6.4. Reference to other sections: None.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling:

#### Technical measures/Precautions:

Provide appropriate exhaust ventilation at machinery. Provide showers, eye-baths. In the presence of an ignition source: Dust may form explosive mixture in air.

#### Safe handling advice:

In case of dust formation, wear a dust mask. Avoid static electricity build up with connection to earth.

#### Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin and the eyes. Wash hands after handling. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. <u>Conditions for safe storage, including any incompatibilities:</u> Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

#### Incompatible products:

Strong acids Oxidizing agents

#### Packaging material:

Recommended: Cardboard lined with polyethylene liner, Paper bags lined with polyethylene

#### 7.3. Specific end use(s): None.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters:

Exposure Limit Values	Not relevant
Derived No Effect Level (DNEL):	No data available.
Predicted No Effect Concentration:	No data available.
8.2. <u>Exposure controls:</u> General protective measures:	Ensure sufficient air exchange and/or exhaust in work areas
Personal protective equipment: Respiratory protection: Hand protection: Eye/face protection: Skin and body protection:	Effective dust mask Impervious gloves Tightly fitting safety goggles Protective suit

Environmental exposure controls: See chapter 6

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance:	
Physical state (20°C):	solid
Form:	roll, or, pellets

### MIXLAND+® S 75-80 BA/GA/SGA

Date 12.08.2021 (Cancel and replace : 28.08.2019)

Colour:	yellow
Odour:	characteristic
Odour Threshold:	No data available.
Melting point :	110 - 120 °C Active ingredient (OECD Test Guideline 102)
Boiling point/boiling range :	ca. 444 °C (Pressure 1.013 hPa) (Literature)
Flammability:	
Flammability (solid, gas):	Non flammable product (Flammability (solids))
Flash point:	218 °C (A9 Method (D. 92/69/ECC))
Auto-ignition temperature:	Not relevant
Decomposition temperature:	No data available.
pH:	Not applicable
Viscosity:	No data available.
Water solubility:	< 5 µg/l at 22 °C (OECD Test Guideline 105)
Solubility in other solvents:	Toluene
	Carbon disulphide
Partition coefficient: n-octanol/water:	No data available.
Vapour pressure:	< 0,0001 Pa , at 20 °C Active ingredient (OECD Test Guideline 104)
	Active ingredient (A4 Method (D. 92/69/ECC))
Density:	1,541 g/cm3 , at 20 °C packed, depending on grade.
Vapour density:	No data available.
9.2. Other information:	
Surface tension:	Not applicable
рКА:	None.
Molecular weight:	32 g/mol
Explosive properties:	
Explosivity:	Not explosive (A14 Method)
Oxidizing properties:	Not relevant (due to its chemical structure)

#### SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: No data available.

#### 10.2. Chemical stability:

The product is stable under normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions: No data available.

#### 10.4. Conditions to avoid:

Store protected from moisture and heat. Protect from light. Keep away from direct sunlight.

# **10.5.** <u>Incompatible materials to avoid:</u> Strong acids and strong bases

10.6. Hazardous decomposition products: Nitrogen oxides (NOx), Carbon dioxide (CO2), Sulphur oxides

#### SECTION 11: TOXICOLOGICAL INFORMATION

All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

#### Acute toxicity:

Inhalation:	According to its composition, can be considered as Slightly harmful by inhalation Inhalation of vapours due to thermal decomposition:, Risk of irritation of respiratory system, Toxic effects cannot be excluded	
SULFUR : • In animals :	LC50/4 h/Rat: > 5,43 mg/l (Method: OECD Test Guideline 403) (Dusts)	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :		

Product:	MIXLAND+® S 75-80 BA/GA/SGA Page: 5 / 9
SDS No.: 100143-100 (Version 2.1)	Date 12.08.2021 (Cancel and replace : 28.08.2019)
• In animals :	No mortality/4 h/Rat: 5,53 mg/l (Method: OECD Test Guideline 403) (Aerosol)
Ingestion:	According to its composition, can be considered as Slightly harmful by ingestion
SULFUR : • In animals :	No mortality/Rat: 2 g/kg (Method: OECD Test Guideline 401), No specific toxic effects
DISTILLATES (PETROLEUM), H • In animals :	YDROTREATED LIGHT PARAFFINIC : No mortality/Rat: 5 g/kg (Method: OECD Test Guideline 401)
Dermal:	According to its composition, can be considered as Slightly harmful in contact with skin.
SULFUR : • In animals :	No mortality/Rat: 2 g/kg (Method: OECD Test Guideline 402), No specific toxic effects
	YDROTREATED LIGHT PARAFFINIC : No mortality/Rabbit: 5 g/kg (Method: OECD Test Guideline 402)
_ocal effects ( Corrosion / Irritation /	/ Serious eye damage ):
Skin contact:	According to its composition : Causes skin irritation.
SULFUR : • In animals :	Skin irritation (OECD Test Guideline 404, Rabbit, Exposure time: 4 h)
DISTILLATES (PETROLEUM), HYD	ROTREATED LIGHT PARAFFINIC :
• In animals :	Slightly irritating to skin. (Rabbit, Exposure time: 24 h)
Eye contact:	According to its composition, can be considered as Slightly irritating to eyes
SULFUR : • In animals :	No eye irritation (OECD Test Guideline 405, Rabbit)
DISTILLATES (PETROLEUM), HYD • In animals :	ROTREATED LIGHT PARAFFINIC : No eye irritation (OECD Test Guideline 405, Rabbit)
Respiratory or skin sensitisation:	
Inhalation:	No data available.
Skin contact:	According to its composition, can be considered as Not a skin sensitizer
SULFUR : • In animals :	No skin allergy was observed. (Method: OECD Test Guideline 406 Guinea pig maximization test)
DISTILLATES (PETROLEUM), HYD • In animals :	ROTREATED LIGHT PARAFFINIC : Not a skin sensitizer (Method: OECD Test Guideline 406 Guinea pig maximization test)
CMR effects :	
Mutagenicity:	Contains no ingredient listed as a mutagen
In vitro	
SULFUR :	
	In vitro test for chromosomal abnormalities on CHO cells: Inactive (Method: OECD Test Guideline 473) Ames test in vitro: Inactive (Method: OECD Test Guideline 471)
DISTILLATES (PETROLEUM), HYD	ROTREATED LIGHT PARAFFINIC : Ames test in vitro: Inactive (Method: OECD Test Guideline 471) In vitro test for chromosomal abnormalities on CHO cells: Inactive (Method: OECD Test Guideline 473) In vitro gene mutations test on mammalian cells: Inactive (Method: OECD Test Guideline 476)
In vivo	
SULFUR :	
DISTILLATES (PETROLEUM), HYD	Micronucleus test in vivo mouse: Inactive (Method: OECD Test Guideline 474) ROTREATED LIGHT PARAFFINIC : Micronucleus test in vivo mouse: Inactive (Method: OECD Test Guideline 474)
Carcinogenicity:	Based on the available information, it is not possible to conclude on the hasard potential of this mixture.
DISTILLATES (PETROLEUM), H	YDROTREATED LIGHT PARAFFINIC : According to its composition :, Not carcinogenic.
Reproductive toxicity:	
Fertility:	Based on the available information, it is not possible to conclude on the hasard potential of this
-	mixture.

Not applicable         11.2. Information on other hazards:       Not relevant         Endocrine disrupting properties:       None known.         Other information:       Not relevant         SECTION 12: ECOLOGICAL INFORMATION       Section and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.	Product: SDS No.: 100143-100 (Version 2.1)	MIXLAND+® S 75-80 BA/GA/SGA Page: Date 12.08.2021 (Cancel and replace : 28.08.2	
Poetal development:         Based on the available information, it is not possible to conclude on the hasard potential of this mixture.           DISTILLATES (PETROLEUM), INPORTREATED LIGHT PARAFFINIC:         ************************************	• In animals :	NOAEL ( Parental toxicity ): 1 g/kg NOAEL ( Fertility ): 1 g/kg	
DISTILLATES (PETROLEUM), HYDROTREATED LICHT PARAFINIC:         * in animals:       NOAEL (Lowelpomental Toxicity / so (12.5 g kg) (Method: OECD Test Guideline 414, Rat. dormal route)         Secific target organ toxicity - so Single cancer       Dust inhalation: . Possible initiation of respiratory system         Expected oxnosure:       The substance or mixture is not classified as specific target organ toxicant, repeated exposure.         SULFUR:       .         In animals:       By oral route: No adverse effects reported. NOAEL = tykg bwid (Method: OECD Test Guideline 408, Rat, 3 months) dermal route: Intaion. Target organs: Skin, NOAEL = 0.4gkg bwid (Rat. 3 months) No specific toxic effects NOAEL = tykg bwid         DISTILLATES (PETROLEUM), HYDROTREATED LICHT PARAFINIC : - In animals :       By inhaliator.         By inhaliator.       Possible information.       Distributation (Target organs: Skin, NOAEL = 0.4gkg bwid (Rat. 3 months) No specific toxic effects NOAEL = tykg bwid         Bistriction hazard:       Not applicable       .         In animals :       By inhaliator.       Possible information.         Assignation hazard:       Not applicable       .         11.1       .       .         Assignation hazard:       Not relevant       .         Endocrine disruption properties:       None known.       .         Distributates (Skin NOAEL = 10000)       .       .       .         Endocrine di	Foetal development:	Based on the available information, it is not possible to conclude on the hasard potential of	this
Sincle exposure :         Dust inhalation: . Possible initiation of respiratory system           Repeated exposure:         The substance or mixture is not classified as specific target organ toxicant, repeated exposure.           SULFUR :         By oral route: No adverse effects reported. NOAEL = 1g/kg Bw/d (Method: OECD Test Guideline 408, Rat, 3 monthe) dermal route: Instein, Target organs: Skin, NOAEL = 0, dg/kg bw/d (Rat, 3 months) No specific toxic effects NOAEL = 1g/kg Bw/d           DISTILLATES (PETROLEUM), HUREOTREATED LIGHT PARAFFINIC :         By inhalation: No effect is reported. NOAEL = 2g/kg Bw/d (Method: OECD Test Guideline 411, Rat, 3 months) Draget route: No effect is reported. NOAEL = 2 g/kg Bw/d (Method: OECD Test Guideline 411, Rat, 3 months) Draget route: No effect is reported. NOAEL = 2 g/kg Bw/d (Method: OECD Test Guideline 411, Rat, 3 months) Draget route: No effect is reported. NOAEL = 2 g/kg Bw/d (Method: OECD Test Guideline 411, Rat, 3 months) Draget route: No effect is reported. NOAEL = 2 g/kg Bw/d (Method: OECD Test Guideline 411, Rat, 3 months) Draget route: No effect is reported. NOAEL = 2 g/kg Bw/d (Method: OECD Test Guideline 411, Rat, 3 months) Draget route: Results oblated on a similar produch. Test Guideline 408, Rat, 3 monthe)           Aspiration hazard:         Not relevant           11.2 Information on other hazards:         Not relevant           Ectooxicology Assessment:         All available and relevant data on this product and/or the components guoted in section 3 and/or the analogue subtances/metabolites have been taken into account for the hazard assessment.           SULFUR :         96 h (Oncortynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility DISTILLA		YDROTREATED LIGHT PARAFFINIC : Absence of toxic effects for foetal development. NOAEL ( Developmental Toxicity ): 2 g/kg NOAEL ( Maternal Toxicity ): < 0,125 g/kg	
Businination:         Possible initiation of respiratory system           Repeated exposure:         The substance or mixture is not classified as specific target organ toxicant, repeated exposure.           SULFUR:         By oral rout: No adverse effects reported.           In animals:         NOAEL:         1 day build (Method: OECD Test Guideline 408, Rat; 3 months) how Specific toxic effects NOAEL:         1 day build (Method: OECD Test Guideline 408, Rat; 3 months) how Specific toxic effects NOAEL:         1 day build (Method: OECD Test Guideline 408, Rat; 3 months) how Specific toxic effects NOAEL:         1 day build (Method: OECD Test Guideline 411, Rat; 3 months) by oral route: (Results obtained on a similar product). Target organs: Reproductive organs, Stomach, Liver, Thymus, NOAEL:         1 25 mg/kg (Method: OECD Test Guideline 408, Rat; 3 months)           Aspiration hazard:         Not applicable         Not applicable         Not applicable           11.2. Information:         Not relevant         Not relevant           Section/colog/A Assessment:         All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.           12.1.1.1.1.1.2.1.1.2.1.2.1.2.1.2.1.2.1.			
SULFUR :       by oral route: No adverse effects reported.         In animals :       By oral route: No adverse effects reported.         NOAEL =       19kg bw/d (Method: OECD Test Guideline 408, Rat. 3 months)         No specific toxic effects       NOAEL =         NOAEL =       19kg bw/d         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       By inhalation: No effect is reported.         NOAEL =       19kg bw/d         NOAEL =       29kg bw/d (Method: OECD Test Guideline 411, Rat, 3 months)         By oral route: (Results obtained on a similar product).       Target organs: Reproductive organs. Stomach, Liver, Thymus, NOAEL = < 125 mg/kg (Method: OECD Test Guideline 411, Rat, 3 months)	Inhalation:	Dust inhalation: , Possible irritation of respiratory system	
SULFUR:       In animals:       By oral route: No adverse effects reported. NOAEL= 19/kg bw/d (Method: OECD Test Guideline 408, Rat, 3 months) No specific toxic effects NOAEL= 19/kg bw/d         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : In animals :       By inhalation: No effect is reported. NOAEL= 19/kg bw/d Wethod: OECD Test Guideline 411, Rat, 3 months) By oral route: No effect is reported. NOAEL= 29/kg bw/d Wethod: OECD Test Guideline 411, Rat, 3 months) By oral route: (No effect is reported. NOAEL= 29/kg bw/d Wethod: OECD Test Guideline 411, Rat, 3 months) By oral route: (Results obtained on a similar product). Target organs: Reproductive organs. Stomach, Liver, Thymus, NOAEL= < 125 mg/kg (Method: OECD Test Guideline 408, Rat, 3 months)         Aspiration hazard:       Not elevant         Endocrine disrupting properties:       None known.         Other information:       Not relevant         Sectron 12: ECOLOGICAL INFORMATION         Ecotoxicology Assessment:       All available and relevant data on this product and/or the components guided in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard potential of this mixture.         SULFUR:       96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : LL50, 96 h (Pincephalas promelas (fathead minnow)) :> 100 mg/l (Method: OECD Test Guideline 202)         Aguatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       49 h (Daphnia magang (Water flea)) (Metho	Repeated exposure:	The substance or mixture is not classified as specific target organ toxicant, repeated expos	ure.
<ul> <li>In animals : By inhalation: No effect is reported. NOAEL =&gt; 1 mgl (Rat, 4 Weeks) (Aerosol) dermal route: No effect is reported. NOAEL =&gt; 2gkg bwild (Method: OECD Test Guideline 411, Rat, 3 months) By oral route: (Results obtained on a similar product). Target organs: Reproductive organs. Stomach, Liver, Thymus, NOAEL = &lt; 125 mg/kg (Method: OECD Test Guideline 408, Rat, 3 months)</li> <li>Aspiration hazard: Not applicable</li> <li>Not applicable</li> <li>Information on other hazards: Not relevant</li> <li>Information: Not relevant</li> <li>Endocrine disrupting properties: Not relevant</li> <li>SECTION 12: ECOLOGICAL INFORMATION</li> <li>Ecologica (LinFORMATION</li> <li>Ecologica (LinFORMATION</li> <li>Ecologica (LinFORMATION</li> <li>Ecologica (LinFORMATION</li> <li>Ecologica (LinFORMATION)</li> <li>Ecologica (LinFORMATION</li> <li>Ecologica (LinFORMATION)</li> <li>Ecologica (LinFORMATION</li> <li>Ecologica (LinFORMATION)</li> <li< td=""><td>SULFUR :</td><td>By oral route: No adverse effects reported. NOAEL= 1g/kg bw/d (Method: OECD Test Guideline 408, Rat, 3 months) dermal route: Irritation, Target organs: Skin, NOAEL= 0,4g/kg bw/d (Rat, 3 months) No specific toxic effects</td><td></td></li<></ul>	SULFUR :	By oral route: No adverse effects reported. NOAEL= 1g/kg bw/d (Method: OECD Test Guideline 408, Rat, 3 months) dermal route: Irritation, Target organs: Skin, NOAEL= 0,4g/kg bw/d (Rat, 3 months) No specific toxic effects	
11.2. Information on other hazards:       Not relevant         Endocrine disrupting properties:       None known.         Other information:       Not relevant         SECTION 12: ECOLOGICAL INFORMATION         Ecotoxicology Assessment:       All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.         12.1. Toxicity:       Fish:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR:       96 h (Oncorrhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203) No effect up to the limit of solubility to this mixture.         SULFUR:       84 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility ot the solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information,		By inhalation: No effect is reported. NOAEL= > 1 mg/l (Rat, 4 Weeks) (Aerosol) dermal route: No effect is reported. NOAEL= > 2g/kg bw/d (Method: OECD Test Guideline 411, Rat, 3 months) By oral route: (Results obtained on a similar product). Target organs: Reproductive organs, Stomach, Liver, Thymus, NOAEL= < 125 mg/kg (Method: OE	ECD
Endocrine disrupting properties:       None known.         Other information:       Not relevant         SECTION 12: ECOLOGICAL INFORMATION         Ecotoxicology Assessment:       All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.         12.1. Toxicity :       Fish:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       96 h (Oncorrhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 202)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to	Aspiration hazard:	Not applicable	
Other information:       Not relevant         SECTION 12: ECOLOGICAL INFORMATION         Ecotoxicology Assessment:       All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolities have been taken into account for the hazard assessment.         12: Ecotoxicology Assessment:       All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolities have been taken into account for the hazard assessment.         12: Intervention       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFU	11.2. Information on other hazards:	Not relevant	
SECTION 12: ECOLOGICAL INFORMATION         Ecotoxicology Assessment:       All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.         12.1. Toxicity :       Fish:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       96 h (Oncorrhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       SULFUR I	Endocrine disrupting properties:	None known.	
Ecotoxicology Assessment:       All available and relevant data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.         12.1. Toxicity :       Fish:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       96 h (Oncorrhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are:         LSO, 48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are:         LSO, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)       Aquatic plants:         Based on the available information, it is not possible to conclude on the hasard potential of this mixture.       S	Other information:	Not relevant	
analogue substances/metabolites have been taken into account for the hazard assessment.         12.1. Toxicity :         Fish:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are:         LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)       Aquatic plants:         Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       May be considered as comparable to a similar product for which experimental results are:         LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :	SECTION 12: ECOLOGICAL INFORM	ATION	
Fish:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility.         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       Considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :	Ecotoxicology Assessment:		he
this mixture.         SULFUR :       96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :	12.1. <u>Toxicity :</u>		
96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :         LL50, 96 h (Pimephales promelas (fathead minnow)) : > 100 mg/l (Method: OECD Test Guideline 203)         Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       Considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)	Fish:		f
Aquatic invertebrates:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :       May be considered as comparable to a similar product for which experimental results are: LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       SULFUR :	SULFUR :	96 h (Oncorhynchus mykiss) (Method: OECD Test Guideline 203) No effect up to the limit of solut	oility
this mixture.         SULFUR :         48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :         May be considered as comparable to a similar product for which experimental results are:         LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       SULFUR :	DISTILLATES (PETROLEUM), HYD		203)
48 h (Daphnia magna (Water flea)) (Method: OECD Test Guideline 202, Immobilization) No effect up to the limit of solubility         DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :         May be considered as comparable to a similar product for which experimental results are:         LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       SULFUR :	Aquatic invertebrates:	· · · ·	ſ
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC :         May be considered as comparable to a similar product for which experimental results are:         LL50, 48 h (Daphnia magna (Water flea)) : > 10.000 mg/l (Method: OECD Test Guideline 202)         Aquatic plants:       Based on the available information, it is not possible to conclude on the hasard potential of this mixture.         SULFUR :       SULFUR :	SULFUR :		up
this mixture.	DISTILLATES (PETROLEUM), HYD	ROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are:	
SULFUR :	Aquatic plants:		f
	SULFUR :		

Page 7/10
Page: 7 / 9
Date 12.08.2021 (Cancel and replace : 28.08.2019)

DISTILLATES (PETROLEUM), HYDI	ROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: ErL50, 72 h (Pseudokirchneriella subcapitata (green algae)) : > 100 mg/l (Method: OECD Test Guideline 201)	
Microorganisms:		
SULFUR :		
DISTILLATES (PETROLEUM), HYDI	ROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: NOEC, 4 d (Photobacterium phosphoreum) : > 1,93 mg/l (Method: DIN 38412)	
Aquatic toxicity / Long term toxicity:		
Aquatic invertebrates:		
SULFUR :		
	21 d (Daphnia magna (Water flea)) (Method: OECD Test Guideline 211, reproduction) No effect up to the limit of solubility	
DISTILLATES (PETROLEUM), HYDI	ROTREATED LIGHT PARAFFINIC : May be considered as comparable to a similar product for which experimental results are: NOEC, 21 d (Daphnia magna (Water flea)) : 10 mg/l (Method: OECD Test Guideline 211, Growth inhibition/Reproduction inhibition)	
Aquatic plants:		
SULFUR :		
	NOEC r, 72 h (Algae) (Method: OECD Test Guideline 201) No effect up to the limit of solubility	
DISTILLATES (PETROLEUM), HYDI	ROTREATED LIGHT PARAFFINIC : NOEC r, 72 h (Pseudokirchneriella subcapitata (green algae)) : 100 mg/l (Method: OECD Test Guideline 201)	
12.2. Persistence and degradability :		
Biodegradation (In water):	Based on the available information, it is not possible to conclude on biodegradability of this mixture.	
SULFUR :		
	Not applicable, inorganic	
DISTILLATES (PETROLEUM), HYD	Not readily biodegradable.: 4 % after 28 d (Method: OECD Test Guideline 301 B)	
12.3. <u>Bioaccumulative potential :</u> Bioaccumulation:	Based on the available information, it is not possible to conclude on the bioaccumulation potential of this mixture.	
12.4. Mobility in soil - Distribution an	nong environmental compartments:	
Vapor pressure:	< 0,0001 Pa, 20 °C, Active ingredient, (Method: OECD Test Guideline 104)	
Surface tension:	Active ingredient, (Method: A4 Method (D. 92/69/ECC)) Not applicable	
12.5. Results of PBT and vPvB assessment :		
	According to REACH regulation, annex XIII, this mixture contains no substance meeting PBT and vPvB criteria.	
12.6. Endocrine disrupting properties	s: None known.	

MIXLAND+® S 75-80 BA/GA/SGA

#### Use of equipment that reduces None known. emissions into the air. Other adverse effects:

13.1. Waste treatment methods:	
Disposal of product:	Destroy the product by incineration (in accordance with local and national regulations).
Disposal of packaging:	Destroy packaging by incineration at an approved waste disposal site (in accordance with local and national regulations).

#### **SECTION 14: TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

#### SECTION 15: REGULATORY INFORMATION

Safety data sheets: accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### Listed in:

EU. REACH, Annex XVII, Marketing and Use Restrictions (Regulation 1907/2006/EC)

#### 15.2. Chemical safety assessment: None.

### **INVENTORIES:**

EINECS:	Conforms to
TSCA:	Conforms to
DSL:	All components of this product are on the Canadian DSL
IECSC (CN):	Conforms to
ENCS (JP):	Conforms to
ISHL (JP):	Conforms to
KECI (KŔ):	Conforms to
PICCS (PH):	The mixture contains a polymer. All the monomers for this polymer & other substances are listed on the inventory,
	Consult Arkema.
AICS:	Conforms to
NZIOC:	Conforms to

#### **SECTION 16: OTHER INFORMATION**

Full text of H, EUH-phrases referred to under sections 2 and 3

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

#### Update:

Safety datasheet sections which have been updated:		Туре:
1	SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE	Revisions
	COMPANY/UNDERTAKING, Commercial name, Emergency telephone number	
3	SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	Revisions
8	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	Revisions
12	SECTION 12: ECOLOGICAL INFORMATION	Revisions

#### Thesaurus:

NOAEL : No Observed Adverse Effect Level (NOAEL) LOAEL : Lowest Observed Adverse Effect Level (LOAEL)

bw : Body weight

food : oral feed

dw : Dry weight

vPvB : very Persistent and very Bioaccumulative

PBT : Persistent, Bioaccumulative and Toxic

This information applies to the PRODUCT AS SUCH and conforming to specifications of ARKEMA. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product. It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product (usage, storage, cleaning of containers, other processes) the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma).