| | recording to regul | | | |
|-----|---|----------------------------------|------------------|--|
| Cor | mpilation date:12/08/10 | Revision date: | Revision number: | |
| 1 | Identification of the product and of the | Company | | |
| 1.1 | Product's name: RIOWAX BM-01 | | | |
| 1.2 | CAS number: | | | |
| 1.3 | Identification of the Company: SER S.pa. Via della Quaglia 26, S.S. 29 Km 20,4 10026 SANTENA (TO) Tel .: 011/945.55.11 Fax: 011/945.55.6 | 66 e-mail : bc@cere.it | | |
| 2 | Risks identification: | | | |
| 2.1 | Danger classification: NONE | | | |
| ٠ | Dangers for the health: The product is pratically not dangerous if used by observing the common industrial hygienics pratices. The melted product at the liquid state has an high temperature and can therefore cause burns if in contact with the skin. High product's smoke or powder concentration coul cause eyes inflammation and soreness. | | | |
| 3 | Composition / information about the ing | <u>gredients</u> | | |
| 3.1 | Chemical composition: MIX OF HIDROCARBON | | | |
| 3.2 | Dangerous substances: NONE (DIR:. 1999/45/CE - 2001/58/CE- 2001/59/CE 2001/60/CE) | | | |
| 4 | First-aid <u>measures</u> | | | |
| 4.1 | Inhalation: Take the affected person to an uncontamin | nated room. Consult a physician. | | |

4.2 Contact with the skin:

Wash with water and detergent, and rinse carefully. In case of contact and/or solidification of the melted product on the skin, ask for medical assistance if burns are present.

4.3 Contact with the eyes:

Wash immediately and carefully with running water. Consult a physician.

4.4 **Swallowing:** ask for medical assistance.

Compilation date: 12/08/10

Revision date:

Trade name: RIOWAX BM-01

5 <u>Fire protection</u>

- 5.1 Suitable extinction means: CO2, powders, foam.
- 5.2 NOT suitable extinction means: water.
- 5.3 **Specific protection means:** oxygen respirator.

6 Measures in case of accidental emission

6.1 **Personal protection measures:** gloves and glasses.

6.2 Environmental protection measures:Prevent emission in the environment.Prevent the introduction of the product into the sewerage system, rivers, water beds, etc...

6.3 Cleaning methods:

Collect through mechanical means and discharge according to the current laws.

7 Handling and stocking:

7.1 Handling:

Wear gloves and glasses in a ventilated room, and avoid that product's smoke or vapours accumulate.

7.2 Stocking:

In dry and ventilated rooms. Apart from heating sources or flames.

8 <u>Exposition control/individual protection:</u>

- 8.1 Skin: Waterproof gloves.
 Eyes: Protective glasses.
 Inhalation: Work in a ventilated room with the melted product. After the handling of the product, wash oneself carefully, before drinking, eating, smoking or going to the bathroom.
- 8.2 Exposition: MAK 6 mg/mc (vapors)

| Con | npilation date:12/08/10 | Revision date: | | | | |
|------|---|--------------------------------|----------------------------------|--|--|--|
| | Trade name: RIOWAX BM-01 | | | | | |
| 9 | Phisical and chemical properties | | | | | |
| | PHISICAL STATE (25 °C): SMELL: SOLIDIFICATION POINT: | Solid Typical 64° ± 3 °C | ASTM D938 | | | |
| 10 | Stability and reactivity | | | | | |
| 10.1 | 0.1 Stability: Stable for about 12 months if stocked at the right conditions. | | | | | |
| 10.2 | 0.2 Reactivity: Dangerous reactions of the product are not known. | | | | | |
| 10.3 | 0.3 Decomposition products: Carbon dioxide, water. Carbonic oxide and hydrocarbons in case of incomplete burning. | | | | | |
| 11 | Toxicologic information | | | | | |
| 11.1 | Toxicity: LD50 Ratto ca., 5 gr/Kg. | | | | | |
| 11.2 | Primary irritability: Extended exposure to smoke and vapor soreness. | ours or powders, can someti | mes cause eyes inflammation or | | | |
| 12 | Ecological information | | | | | |
| 12.1 | Do not discharge the product into the se Do not waste in the environment. | wage systems, water beds or | superficial water. | | | |
| 13 | Consideration about the discharging | | | | | |
| 13.1 | Operate according to the current nation n°475 dd. 9/11/88 and following updatir | | 9/82, DPR n°691 dd. 23/8/82, law | | | |

Compilation date: 12/08/10

Revision date:

Trade name: RIOWAX BM-01

14 <u>Transport information</u>

14.1 The product is classified as not dangerous in the categories: ADR / RID / IMO / ICAO / IATA.

15 Information about the regulations

Law 285/98 labelling and packagiing and related norms DPR 303/56: General Hygiene safety work norms DPR 547/55: Work accidents prevention norms DPR 336/94: Industry occupational diseases charts DL 626/94: DLgs 242/96 Enforcing of EU norms : 89/391-89/654-89/655 – 89/656-90/269 –90/270-90/394-90/679 DLgs 25/2000

16 Further information

No further technical information.

This safety data sheet contains technical-scientific information drawn up according to our knowledge, and referring to the above indicated product only; as a consequence they could be not valuable if the product is going to be combined with others or included in other chemical processes. We recommend to verify the national and regional regulations concerning this specific field, as well as the current hygienic, labor safety and environmental regulations.

The a.m. information are held as correct and given in all honesty. They don't imply any obligation, guarantee, freedom to use industrial proprieties, or any license. The a.m. peculiarities do not constitute contractual specifications.