# ECO-FLEX™ RTPV

#### **Material Safety Data Sheet**

### **SA-90A**

		Secti	on I – Gen	eral Information					
Manufacturer's Name: SYNESIS, LLC Emergency Telephone Number: (330) 769-4826									
Address (Numb	oer, Street, City, State a	nd Zip Cod	e): 14555 f	by Road Creston, OI	H 44217				
Chemical Name			Trade Name and Synonyms:						
Thermoplastic Elastomer (TPE)			•		ECO-FLEX RTPV SA-90A				
Chemical Famil	ly: Thermoplastic Elasto		Formula: EPDM Rubber Modified Polyole			efin Polymer			
		Sectio	n II – Haza	rdous Ingredients					
Paints, Preservatives and Solvents		%	TLV Alloys and M		etallic Coatings		TLV (Units)		
Pigments:	N/A			Base Metal:	N/A				
Catalyst:	N/A			Alloys:	N/A				
Vehicle:	N/A			Metallic Coatings:	N/A				
Solvents:	N/A			Filler Metal Plus Coa or Core Flux:	ating N/A				
Additives:	N/A			Others:					
Others:									
Hazardous Mixtures of Other Liquids, Solids, or Gases							TLV (Units)		
		N/A	4						
		Se	ection III –	Physical Data					
Boiling Point (F°):		ſ	N/A	Specific Gravity (H <sup>2</sup> 0	Specific Gravity (H <sup>2</sup> O=1)		1.03		
Vapor Pressure (mm Hg.):		ľ	N/A	Percent, Volatile by Volume (%):		N/A			
Vapor Density (Air = 1):		N/A		Evaporation Rate ( = 1):		N/A			
Solubility in Water:			0.0						
Appearance an	id Odor:	SOLID, F	RUBBER-LIK	E PELLETS					
		Se	ection IV –	Physical Data					
Flash Point (Method Used): N/A			Flamn	nable Limits: N/A	Lei: N/A		Uei: N/A		
Extinguishing N	Лedia: Use water spray	or any cla	ss A extingu	uishing agent	•				
	hting Procedures: Use				tective clothing	5.			
Unusual Fire ar	nd Explosion Hazards: N	lone know	'n						
		Secti	on V – H <u>e</u> a	alth Hazard Data					
Threshold Limit Value:			None established						
Effects of Overexposure:			None						
	nd First Aid Procedure		Wash exposed skin with soap and water						
zer geney ar		J.   W	asii expose	.a stair with soup and					



14555 Eby Rd. • Creston, OH 44217, USA • Phone: 330-769-4826 • Fax: 330-769-3850 • Email: info@ecoflexrtpv.com.com

## ECO-FLEX™ RTPV

#### **SA-90A**

Section VI – Reactivity Data										
Stability	Unstable			Conditions to Avoid	I					
	Stable	XX								
Incompatibility (Materials to Avoid): None Known										
Hazardous Polymerization	May Occur Will Not Occur		XX							
				an Laal. Dua saduus						
Section VII – Spill or Leak Procedure										
Steps to be taken in case material is released or spilled: Sweep up, no unusual hazards										
Waste Disposal Method: Bury where permitted and according to local regulations										
Section VIII – Special Protection Information										
Respiratory Protection (Specify Type):										
Mantilation	Local Exha		aust	Yes	Special N/A					
Ventilation	Mechanical (Gener		al)	Other						
Protective Gloves: Desirable			Eye Protection: Safety Glasses Recommended							
Other Protective Equipment: N/A										
Section IX – Special Precautions										
Precautions to be Taken in Handling and Storing: Store in a cool, dry place										
Other Precautions: Use adequate ventilation in processing area and follow good standard safety practices										

This form may be used to comply with OSHA Hazard Communication Standard, 29 CFR 1910.1200. To be valid information required by f1910.120(g) of the Standard must appear on this form. Consult the Standard for specific requirements. Note: Blank spaces are not permitted. Should any item not be applicable, or no information is available, the space must be marked to indicate as such.

