### MATERIAL SAFETY DATA SHEET



Version Number 1.1 Revision Date 01/13/2005

# POLYMERS

Page 1 of 1

Print Date 10/4/2010

### 1. PRODUCT AND COMPANY IDENTIFICATION

### EXCEL POLYMERS LLC 14330 Kinsman Road, Burton, OH 44021

:

:

Telephone Emergency telephone number	:	Product Stewardship (440) 834-4644 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE D-2800 RED

Product code Chemical Name CAS-No. Product Use

: AD0000103210 Mixture Mixture Industrial Applications :

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
2-Naphthalenecarboxylic acid, 4-[(5-chloro-	7585-41-3	60 - 100
4-methyl-2-sulfophenyl)azo]-3-hydroxy-,		
barium salt (1:1)		

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

### POTENTIAL HEALTH EFFECTS

Inhalation

Ingestion

Eyes

Skin

Chronic exposure

### **Routes of Exposure:**

: Inhalation, Skin contact, Ingestion

### Acute exposure

- : Irritating to respiratory system.
- : May be harmful if swallowed.
  - : Particulates, like other inert materials can be mechanically irritating. : Experience shows no unusual dermatitis hazard from routine handling.

  - : Refer to Section 11 for Toxicological Information.
- **Medical Conditions** : None known. Aggravated by Exposure:

### MATERIAL SAFETY DATA SHEET

# STAN-TONE D-2800 RED

:

Version Number 1.1 Revision Date 01/13/2005

Inhalation

EXCEL

Page 2 of 2

# Print Date 10/4/2010 4. FIRST AID MEASURES Move to fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Ingestion	Seek medical attention if necessary. Do not induce vomiting without medical advice.		
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits			
Upper explosion limit	: Not applicable		
Lower explosion limit	: Not applicable		
Autoignition temperature	: No data available		
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide		
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive		
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen		
Hazards	(NOx), other hazardous materials, and smoke are all possible.		
6. ACCIDENTAL RELEASE MEASURES			
<u>_</u>			

### Avoid breathing dust. Avoid dust formation. Ensure adequate Personal precautions : ventilation. Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Do not create a powder cloud by using a brush or compressed air. Shovel into suitable container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Provide for appropriate exhaust ventilation and dust collection at : machinery. Avoid formation of dust and aerosols.

### MATERIAL SAFETY DATA SHEET



Version Number 1.1 Revision Date 01/13/2005 POLYMERS

Page 3 of 3 Print Date 10/4/2010

Storage

: Store in a cool dry place. Keep away from open flames, hot surfaces and sources of ignition.

		PERSONAL PROTECTI		
Respiratory protection	they must use appr respirators must be	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Employees using respirators must be properly trained. Employers must follow applicable regulations such as OSHA 29 CFR 1910.134.		
Eye/Face Protection	: Safety glasses with	h side-shields.		
Hand protection	: Protective gloves.	Protective gloves. Refer to equipment supplier to ensure protection.		
Skin and body protection	: Long sleeved cloth	ning.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.		
Engineering measures	: Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.			
	vapors.			
Exposure limit(s)	vapors.			
	PHYSICAL AND CHE	MICAL PROPERTIES		
	•	MICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHE</li> <li>Solid</li> <li>powder</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHE</li> <li>Solid</li> <li>powder</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Negligible</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHE</li> <li>Solid</li> <li>powder</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Negligible</li> </ul> 10. STABILITY AN	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	

### MATERIAL SAFETY DATA SHEET



# STAN-TONE D-2800 RED

Version Number 1.1 Revision Date 01/13/2005 Page 4 of 4 Print Date 10/4/2010

Incompatible Materials	: strong acids and oxidizing agents		
Hazardous decomposition products			
	11. TOXICOLOGICAL INFORMATION		
	uated as a whole for health effects. Exposure effects listed are based on exis omponents which comprise the mixture.		
<u>Toxicity Overview</u> This product contains the follow	ving components which in their pure form have the following characteristic		
CAS-No.	Chemical Name Effect Target Organ		
	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Pigments are practically not biodegradable.		
Environmental Toxicity	: No data available		
Bioaccumulation Potential	: No data available		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Not regulated for transportation.		
IMO / IMDG (maritime)	: Not regulated for transportation.		
	15. REGULATORY INFORMATION		

### MATERIAL SAFETY DATA SHEET



# STAN-TONE D-2800 RED

Version Number 1.1 Revision Date 01/13/2005 Page 5 of 5 Print Date 10/4/2010

US Regulations:

OSHA Status

: Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	RQ for
			Mixture/Product
2-	7585-41-3		1,000 LB
Naphthalenecarbox			
ylic acid, 4-[(5-			
chloro-4-methyl-2-			
sulfophenyl)azo]-			
3-hydroxy-, barium			
salt (1:1)			

California Proposition	:	This product does not contain a substance listed by California Prop
65		65.

SARA Title III Section 302 Extremely Hazardous Substance Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
BARIUM COMPOUNDS [EXCEPT BASO4]	7585-41-3	100.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
7585-41-3	

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

### MATERIAL SAFETY DATA SHEET

# STAN-TONE D-2800 RED

Version Number 1.1 Revision Date 01/13/2005 Page 6 of 6 Print Date 10/4/2010

POLYMERS

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.