MATERIAL SAFETY DATA SHEET

STAN-TONE 40MB08 BLUE

Version Number 1.5 Revision Date 10/07/2009

Product Use

POLYMERS

Page 1 of 6 Print Date 2/5/2010

1. PRODUCT AND COMPANY IDENTIFICATION

EXCEL POLYMERS LLC 14330 Kinsman Road, Burton, OH 44021

Telephone Emergency telephone	:	Product Stewardship (440) 834-4644 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE 40MB08 BLUE
Product code	:	AD0000138660
Chemical Name	:	Mixture
CAS-No.	:	Mixture

- : Mixture
- : Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

MATERIAL SAFETY DATA SHEET

STAN-TONE 40MB08 BLUE

Version Number 1.5 Revision Date 10/07/2009 Page 2 of 6 Print Date 2/5/2010

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Water spray, Dry powder, Foam, Carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	 Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

STAN-TONE 40MB08 BLUE

Version Number 1.5 Revision Date 10/07/2009 Page 3 of 6 Print Date 2/5/2010

Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOS	Uŀ	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odour Melting point/range Boiling Point: Water solubility
- Solid
 pellets, Slabs, sheets
 BLUE
 Characteristic rubber odor
 Not determined
 not applicable
 Insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

MATERIAL SAFETY DATA SHEET





Version Number 1.5Page 4 of 6Revision Date 10/07/2009Print Date 2/5/2010

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

MATERIAL SAFETY DATA SHEET

STAN-TONE 40MB08 BLUE

Version Number 1.5 Revision Date 10/07/2009 EXCEL

Page 5 of 6 Print Date 2/5/2010

	14. TRAN	NSPORT INFORMAT	ION	
U.S. DOT Classification	· Refer to	specific regulation.		
ICAO/IATA (air)		specific regulation.		
IMO / IMDG (maritime)	: Refer to	specific regulation.		
	15. REGU	LATORY INFORMA	ΓΙΟΝ	
US Regulations:				
OSHA Status	: Classifi	ed as hazardous based o	n components.	
TSCA Status		nponents of this product nventory.	are listed on or exen	npt from the
US. EPA CERCLA Hazardo	us Substances (4	40 CFR 302)		
not applicable				
California Proposition	n : Not app	licable		
65				
SARA Title III Section 302 I	Extremely Hazar	dous Substance		
		an this spatian this must	uct is Not Applicable	
Unless specific chemicals are	e identified und	er this section, this prod	act is Not Applicable	under this regula
	e identified und	er this section, this produ	iet is Not Applicable	under this regula
Unless specific chemicals are		-	act is Not Applicable	under this regula
Unless specific chemicals are SARA Title III Section 313 T	Foxic Chemicals	:		-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	Foxic Chemicals	:		-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Foxic Chemicals e identified unde	er this section, this produ		-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	Foxic Chemicals e identified unde	er this section, this produ		-

MATERIAL SAFETY DATA SHEET

STAN-TONE 40MB08 BLUE

EXCEL

Version Number 1.5Page 6 of 6Revision Date 10/07/2009Print Date 2/5/2010

WHMIS Classification : Not controlled., Not controlled., Not controlled. WHMIS Ingredient Disclosure List CAS-No. 147-14-8 DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories: Australia AICS Listed : China IECS : Listed Listed Europe EINECS : Listed Japan ENCS : Listed Korea KECI : Listed Philippines PICCS : Listed **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.