

MATERIAL SAFETY DATA SHEET

IDENTITY: Stan-Tone® MB or MC-17350 Green

SECTION I - Preparation/Product Information

MANUFACTURED FOR AND SUPPLIED BY: PolyOne Corporation
TELEPHONE NO.: (330) 837-8679
DATE PREPARED: January 9, 1992
PREPARER: Health, Safety & Environment
PRODUCT USE: Colorant
DATE PRINTED: July 3, 2002

SECTION II - Ingredients/Identity Information

Table with 4 columns: COMPONENTS, EXPOSURE LIMITS (PEL, TLV, OTHER), TOXICITY (LD50/LC50), and AMOUNT (%). Rows include Ethylene-Propylene Copolymer, Phthalocyanine Green, and Diarylide Yellow (AAOT).

SECTION III - Physical/Chemical Characteristics

BOILING POINT: Not Applicable
FREEZING POINT: Not Applicable
VAPOR PRESSURE (mm Hg): Not Applicable
VAPOR DENSITY (AIR=1): Not Applicable
SOLUBILITY IN WATER: Not Soluble
APPEARANCE (PHYSICAL STATE) AND ODOR: Solid; Green
Odor; Slight
SPECIFIC GRAVITY (H2O=1): 1.10 (calc.)
pH: Not Applicable
ODOR THRESHOLD (ppm): Not Determined
COEF. WATER/OIL DIST.: Not Determined
EVAPORATION RATE: Not Applicable

MARKETED BY
HARWICK STANDARD
DISTRIBUTION CORPORATION
60 S. Seiberling Street • Akron, Ohio 44305

SECTION IV - Fire and Explosion Hazard Data

FLASH POINT (Method): Not Applicable

EXTINGUISHING MEDIA: Water spray

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing. Isolate fuel supply from fire. Extinguish fire by cooling with water spray. Use water spray to cool fire exposed surfaces and protect personnel.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If thermally decomposed, flammable toxic gases may be released. Toxic gases will form upon combustion. Fire is accompanied by the evolution of dense black smoke with an acrid odor and may cause lacrimation (watery eyes).

HMIS RATING: 1

FLAMMABLE LIMITS LEL: Not Applicable
UEL: Not Applicable

AUTOIGNITION TEMPERATURE: Not Applicable

SENS. TO MECHANICAL IMPACT: Not Applicable

SENS. TO STATIC DISCHARGE: Not Applicable

HAZARDOUS COMBUSTION PRODUCTS: CO_x, NO_x, flammable hydrocarbons and irritating smoke.

SECTION V - Reactivity Data

STABILITY

STABLE: X

UNSTABLE:

CONDITIONS TO AVOID (Cond. of Reactivity): Excessive heat and open flame.

INCOMPATIBILITY (Materials to Avoid): Strong oxidizing agents

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO_x, flammable hydrocarbons, NO_x

HAZARDOUS POLYMERIZATION

MAY OCCUR:

WILL NOT OCCUR: X

CONDITIONS TO AVOID: None known

HMIS RATING: 0

SECTION VIII - Precautions for Safe Handling and Use

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Place in a suitable container for reuse or disposal.

WASTE DISPOSAL METHOD: In accordance with all Federal, State and Local regulations. Refer to Section X.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Avoid excessive heat and ignition sources. Avoid contact with eyes, skin and clothing.

SECTION IX - Control Measures

RESPIRATORY PROTECTION: (Specify Type)
A NIOSH/MSHA approved respirator above PEL or TLV or as necessary.

VENTILATION

LOCAL EXHAUST: Recommended to minimize exposure.

MECHANICAL (General): Recommended to minimize exposure.

PROTECTIVE GLOVES: Impervious

EYE PROTECTION: Safety glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash station. Where contact may occur with hot material, wear thermal resistant gloves, arm protection and faceshield.

WORK/HYGENIC PRACTICES: Wash thoroughly after handling.

SECTION X - Additional Information

SPECIAL SHIPPING INFORMATION: Not Available

TSCA INVENTORY STATUS:

Chemical component(s) are listed on the TSCA Inventory.

SARA TITLE III:

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372:

None known

RCRA STATUS:

The following chemical component(s) are listed under (40 CFR 261):

None known

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.