

## MATERIAL SAFETY DATA SHEET MMC 40-1110 ORANGE DRY PWD-100

Version Number 1.1 Revision Date 03/08/2012 Page 1 of 1 Print Date 3/24/2012

1.	PRODUCT AND COMPANY IDENTIFICATION
HEXPOL Compounding 14330 Kinsman Road, Bu	rton, OH 44021
Telephone Emergency telephone	<ul> <li>Product Stewardship (440) 834-4644</li> <li>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).</li> </ul>
Product name Product code Chemical Name CAS-No. Product Use	<ul> <li>MMC 40-1110 ORANGE DRY PWD-100</li> <li>AD3000352960</li> <li>Mixture</li> <li>Mixture</li> <li>Industrial Applications</li> </ul>
2. COMPOS	SITION/INFORMATION ON REGULATED INGREDIENTS
There are no known hazard	ous components above regulatory thresholds in this product.
	3. HAZARDS IDENTIFICATION
R HALAN HALAN HALAN HALAN KAN KAN KAN KAN KAN KAN KAN KAN KAN K	EMERGENCY OVERVIEW
product is based on in exposure as shipped is	been evaluated as a whole. Information provided on the health effects of this dividual components. All ingredients are bound and potential for hazardous a minimal. However, some vapors may be released upon heating and the end-take the necessary precautions (mechanical ventilation respiratory protection)
product is based on in exposure as shipped is user (fabricator) must etc.) to protect employ	dividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the end- take the necessary precautions (mechanical ventilation, respiratory protection, vees from exposure.
product is based on in exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFF Routes of Exposure:	dividual components. All ingredients are bound and potential for hazardous s minimal. However, some vapors may be released upon heating and the end- take the necessary precautions (mechanical ventilation, respiratory protection, yees from exposure.
product is based on in exposure as shipped is user (fabricator) must etc.) to protect employ	<ul> <li>dividual components. All ingredients are bound and potential for hazardous a minimal. However, some vapors may be released upon heating and the end-take the necessary precautions (mechanical ventilation, respiratory protection, zees from exposure.</li> <li>ECTS <ul> <li>Inhalation, Ingestion, Skin contact</li> </ul> </li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> </ul>
product is based on in exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	<ul> <li>dividual components. All ingredients are bound and potential for hazardous a minimal. However, some vapors may be released upon heating and the end-take the necessary precautions (mechanical ventilation, respiratory protection, zees from exposure.</li> <li>ECTS <ul> <li>Inhalation, Ingestion, Skin contact</li> </ul> </li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> </ul>
product is based on in exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFF Routes of Exposure: Acute exposure Inhalation Ingestion Eyes Skin	<ul> <li>dividual components. All ingredients are bound and potential for hazardous a minimal. However, some vapors may be released upon heating and the end-take the necessary precautions (mechanical ventilation, respiratory protection, yees from exposure.</li> <li>ECTS <ul> <li>Inhalation, Ingestion, Skin contact</li> </ul> </li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling</li> </ul>
product is based on in exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure: Acute exposure Inhalation Ingestion Eyes Skin Chronic exposure Medical Conditions	<ul> <li>dividual components. All ingredients are bound and potential for hazardous in minimal. However, some vapors may be released upon heating and the end-take the necessary precautions (mechanical ventilation, respiratory protection, vees from exposure.</li> <li>ECTS <ul> <li>Inhalation, Ingestion, Skin contact</li> </ul> </li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling</li> <li>Refer to Section 11 for Toxicological Information.</li> </ul>



# MATERIAL SAFETY DATA SHEET MMC 40-1110 ORANGE DRY PWD-100

sion Number 1.1 /ision Date 03/08/2012	Page Print Date 3/24
	overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Water spray, Dry powder, Foam, Carbon dioxide (CO2).</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION



## MATERIAL SAFETY DATA SHEET MMC 40-1110 ORANGE DRY PWD-100

Version Number 1.1 Revision Date 03/08/2012 Page 3 of 3 Print Date 3/24/2012

Respiratory protection	: No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.					
Eye/Face Protection	:	Safety glasses with side	-shields			
Hand protection	:	Protective gloves				
Skin and body protection	:	Long sleeved clothing				
Additional Protective Measures	:	Safety shoes				
General Hygiene Considerations	:	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.				
There are no known hazardou 9.	-	SICAL AND CHEMICA	-			
Form Appearance Color Odour	: 01 : Cl	lid llets, Slabs, sheets RANGE naracteristic rubber odor ot determined	Evaporation rate: Not applicablSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicableVapour density: not applicable	ed ed e		
Melting point/range Boiling Point: Water solubility	: no	t applicable soluble	pH : not applicable	2		
Boiling Point:	: no : In	t applicable	pH : not applicable	<u> </u>		
Boiling Point:	: no : In	t applicable soluble	pH : not applicable			
Boiling Point: Water solubility	: no : In	t applicable soluble <b>. STABILITY AND RE</b>	pH : not applicable			
Boiling Point: Water solubility Stability	: no : In	t applicable soluble <b>D. STABILITY AND RE</b> Stable. Will not occur.	pH : not applicable CACTIVITY ng agents and open flame. To avoid therm			
Boiling Point: Water solubility Stability Hazardous Polymerization	: no : In	t applicable soluble <b>. STABILITY AND RE</b> Stable. Will not occur. Keep away from oxidizi decomposition, do not o	pH : not applicable CACTIVITY ng agents and open flame. To avoid therm			
Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: no : In	t applicable soluble <b>D. STABILITY AND RE</b> Stable. Will not occur. Keep away from oxidizi decomposition, do not o Incompatible with strong Carbon dioxide (CO2),	pH : not applicable CACTIVITY ng agents and open flame. To avoid therm verheat.	nal		



## MATERIAL SAFETY DATA SHEET MMC 40-1110 ORANGE DRY PWD-100

Version Number 1.1 Revision Date 03/08/2012 Page 4 of 4 Print Date 3/24/2012

There are no known hazardous components above regulatory thresholds in this product.

<ul><li>Not readily biodegradable.</li><li>Chemicals are not readily available as they are bound within the</li></ul>
polymer matrix.
: Chemicals are not readily available as they are bound within the polymer matrix.
: not applicable
13. DISPOSAL CONSIDERATIONS
: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Refer to specific regulation.
: Refer to specific regulation.
: Refer to specific regulation.
15. REGULATORY INFORMATION
: There are no known hazardous components above regulatory thresholds in this product.
: All components of this product are listed on or exempt from the TSCA Inventory.
ubstances (40 CFR 302)



## MATERIAL SAFETY DATA SHEET MMC 40-1110 ORANGE DRY PWD-100

Version Number 1.1 Revision Date 03/08/2012 Page 5 of 5 Print Date 3/24/2012

California Proposition 65	:	Not applicable								
SARA Title III Section 302 Extremely Hazardous Substance										
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation										
SARA Title III Section 313 Toxic Chemicals:										
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation										
Canadian Regulations:										
National Pollutant Release Inventory (NPRI)										
not applicable										
WHMIS Classification	:	Not controlled.								
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.								
National Inventories:										
Australia AICS	:	Listed								
China IECS	:	Listed								
Europe EINECS	:	Listed								
Japan ENCS	:	Listed								
Korea KECI	:	Listed								
Philippines PICCS	:	Listed								
			L							

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.