

MATERIAL SAFETY DATA SHEET MMC 85-1109 BROWN DRY PWD-100

Version Number 1.1 Revision Date 03/07/2012 Page 1 of 1 Print Date 3/24/2012

HEXPOL Compounding 14330 Kinsman Road, Burt	con, OH 44021
Telephone Emergency telephone	 Product Stewardship (440) 834-4644 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	: MMC 85-1109 BROWN DRY PWD-100
Product code	: AD3000352460
Chemical Name	: Mixture
CAS-No.	: Mixture
Product Use	: Industrial Applications
2. COMPOSI	TION/INFORMATION ON REGULATED INGREDIENTS
There are no known hazardou	us components above regulatory thresholds in this product.
	3. HAZARDS IDENTIFICATION
HARAMAN BARAMANAN MANANANAN MANANANAN MANANANAN MANANANAN	EMERGENCY OVERVIEW
product is based on indi	en evaluated as a whole. Information provided on the health effects of this ividual components. All ingredients are bound and potential for hazardous minimal. However, some uppers may be released upon besting and the end
product is based on indi exposure as shipped is in user (fabricator) must ta etc.) to protect employe	ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the end- ake the necessary precautions (mechanical ventilation, respiratory protection, these from exposure.
product is based on indi exposure as shipped is in user (fabricator) must ta etc.) to protect employe	ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the end- ake the necessary precautions (mechanical ventilation, respiratory protection, ses from exposure.
product is based on indi exposure as shipped is in user (fabricator) must ta etc.) to protect employe	ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the end- ake the necessary precautions (mechanical ventilation, respiratory protection, these from exposure.
product is based on indi exposure as shipped is n user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure:	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, es from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating.
product is based on indi exposure as shipped is n user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, es from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed.
product is based on indi exposure as shipped is n user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, es from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating.
product is based on indi exposure as shipped is n user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, es from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed.
product is based on indi exposure as shipped is n user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes Skin	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, es from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating.
product is based on indi exposure as shipped is n user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, es from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling
product is based on indi exposure as shipped is i user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes Skin Chronic exposure Medical Conditions	 ividual components. All ingredients are bound and potential for hazardous minimal. However, some vapors may be released upon heating and the endake the necessary precautions (mechanical ventilation, respiratory protection, ees from exposure. CTS Inhalation, Ingestion, Skin contact Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET MMC 85-1109 BROWN DRY PWD-100

sion Number 1.1 /ision Date 03/07/2012	Page Print Date 3/24		
	overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits			
Upper explosion limit	: not applicable		
Lower explosion limit	: not applicable		
Autoignition temperature Suitable extinguishing media	not applicableWater spray, Dry powder, Foam, Carbon dioxide (CO2).		
Suitable extinguishing media	. water spray, Dry powder, roani, Carbon dioxide (CO2).		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne		
University (Englished	contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION		



MATERIAL SAFETY DATA SHEET MMC 85-1109 BROWN DRY PWD-100

Version Number 1.1 Revision Date 03/07/2012 Page 3 of 3 Print Date 3/24/2012

	:	No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.		
Eye/Face Protection	:	Safety glasses with side-	-shields	
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.			
Exposure limit(s)				
).	LILL			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: So : pe : BI : Ch : No : no		AL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable not applicable
Appearance Color Odour Melting point/range Boiling Point:	: So : pe : BI : Ch : No : no : Ins	lid llets, Slabs, sheets ROWN aaracteristic rubber odor ot determined t applicable soluble	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: So : pe : BI : Ch : No : no : Ins	lid llets, Slabs, sheets ROWN aaracteristic rubber odor ot determined t applicable	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable
Appearance Color Odour Melting point/range Boiling Point:	: So : pe : BI : Ch : No : no : Ins	lid llets, Slabs, sheets ROWN aaracteristic rubber odor of determined t applicable soluble . STABILITY AND RE	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: So : pe : BI : Ch : No : no : Ins	lid llets, Slabs, sheets ROWN aaracteristic rubber odor of determined t applicable soluble . STABILITY AND RE Stable.	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH CACTIVITY	 Not determined Not established not applicable not applicable not applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : pe : BI : Ch : No : no : Ins	lid llets, Slabs, sheets ROWN iaracteristic rubber odor of determined t applicable soluble . STABILITY AND RE Stable. Will not occur. Keep away from oxidizin	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH CACTIVITY	 Not determined Not established not applicable not applicable not applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: So : pe : BI : Ch : No : no : Ins	lid llets, Slabs, sheets ROWN aaracteristic rubber odor of determined t applicable soluble . STABILITY AND RE Stable. Will not occur. Keep away from oxidizin decomposition, do not o	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH CACTIVITY CACTIVITY agaents and open flat verheat. g acids and oxidizing a carbon monoxide (CO)	 Not determined Not established not applicable not applicable not applicable



MATERIAL SAFETY DATA SHEET MMC 85-1109 BROWN DRY PWD-100

Version Number 1.1 Revision Date 03/07/2012 Page 4 of 4 Print Date 3/24/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	



MATERIAL SAFETY DATA SHEET MMC 85-1109 BROWN DRY PWD-100

Version Number 1.1 Revision Date 03/07/2012 Page 5 of 5 Print Date 3/24/2012

California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic Chemicals:
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.