

MATERIAL SAFETY DATA SHEET MMC 90-1289 BLUE FK SLAB-45

Version Number 1.0 Revision Date 06/05/2014 Page 1 of 6 Print Date 6/5/2014

W

25

1.	PROD	UCT AND COMPANY IDENTIFICATION
HEXPOL Compounding 14330 Kinsman Road, Bur	ton, Ol	H 44021
Telephone	:	Product Stewardship (440) 834-4644
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MMC 90-1289 BLUE FK SLAB-45
Product code	:	AD3000382460
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from



MATERIAL SAFETY DATA SHEET MMC 90-1289 BLUE FK SLAB-45

ion Number 1.0 sion Date 06/05/2014	Page 2 Print Date 6/5/2
	overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms
	persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Autoignition temperature	: not applicable
Suitable extinguishing media	: Water spray, Dry powder, Foam, Carbon dioxide (CO2).
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION



MATERIAL SAFETY DATA SHEET MMC 90-1289 BLUE FK SLAB-45

Version Number 1.0 Revision Date 06/05/2014

Page 3 of 6 Print Date 6/5/2014

EVISION Date 00/05/2014	Filli Date 0/3/2014
Respiratory protection	: No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section
	below for precautions to be taken when heating or processing this material.
Eye/Face Protection	: Safety glasses with side-shields
Hand protection	: Protective gloves
Skin and body protection	: Long sleeved clothing
Additional Protective Measures	: Safety shoes
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.
Exposure limit(s)	
There are no known hazardou	is components above regulatory thresholds in this product.
9.	PHYSICAL AND CHEMICAL PROPERTIES
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: SolidEvaporation rate: Not applicable: pellets, Slabs, sheetsSpecific Gravity: Not determined: BLUEBulk density: Not established: Characteristic rubber odorVapour pressure: not applicable: Not determinedVapour density: not applicable: not applicablepH: not applicable: Insoluble
	10. STABILITY AND REACTIVITY
Stability	10. STABILITY AND REACTIVITY : Stable.
Stability Hazardous Polymerization	
-	: Stable.
Hazardous Polymerization	 Stable. Will not occur. Keep away from oxidizing agents and open flame. To avoid thermal
Hazardous Polymerization Conditions to avoid	 Stable. Will not occur. Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET MMC 90-1289 BLUE FK SLAB-45

Version Number 1.0 Revision Date 06/05/2014 Page 4 of 6 Print Date 6/5/2014

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Substances (40 CFR 302)
not applicable	
••	



MATERIAL SAFETY DATA SHEET MMC 90-1289 BLUE FK SLAB-45

Version Number 1.0 Revision Date 06/05/2014 Page 5 of 6 Print Date 6/5/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Phthalocyanine blue	147-14-8	30.00 - 60.00	

DSL:All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.National Inventories:Image: Image:
Australia AICS:ListedChina IECS:ListedEurope EINECS:Listed
China IECS:ListedEurope EINECS:Listed
Europe EINECS : Listed
Japan ENCS · Not determined
Korea KECI : Listed
Philippines PICCS : Listed
16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,



MATERIAL SAFETY DATA SHEET MMC 90-1289 BLUE FK SLAB-45

Version Number 1.0 Revision Date 06/05/2014 Page 6 of 6 Print Date 6/5/2014

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.