

### MATERIAL SAFETY DATA SHEET MMC 00-1303 VIOLET (QD-9658) DP PASTE-20

Version Number 1.0 Revision Date 03/13/2015 Page 1 of 5 Print Date 3/13/2015

21

#### **1. PRODUCT AND COMPANY IDENTIFICATION HEXPOL** Compounding 14330 Kinsman Road, Burton, OH 44021 Telephone Product Stewardship (440) 834-4644 : **Emergency telephone** CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure : or accident). Product name MMC 00-1303 VIOLET (QD-9658) DP PASTE-20 : Product code AD3000386660 : Chemical Name Mixture : CAS-No. Mixture : Product Use **Industrial Applications** : 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from



# MATERIAL SAFETY DATA SHEET MMC 00-1303 VIOLET (QD-9658) DP PASTE-20

ion Number 1.0 sion Date 03/13/2015	Page 2 Print Date 3/13/2
	overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Water spray, Dry powder, Foam, Carbon dioxide (CO2).</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION



# MATERIAL SAFETY DATA SHEET MMC 00-1303 VIOLET (QD-9658) DP PASTE-20

Version Number 1.0 Revision Date 03/13/2015

\_\_\_\_

\_

Page 3 of 5 Print Date 3/13/2015

Respiratory protection	: No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.				
Exposure limit(s)					
There are no known hazardous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES					
Form Appearance Color Odour	: SolidEvaporation rate: Not applicable: pellets, Slabs, sheetsSpecific Gravity: Not determined: PURPLEBulk density: Not established: Characteristic rubber odorVapour pressure: not applicable				
Melting point/range Boiling Point: Water solubility	: Not determinedVapour density: not applicable: not applicablepH: not applicable: Insoluble				
Melting point/range Boiling Point:	: not applicable pH : not applicable				
Melting point/range Boiling Point: Water solubility Stability	<ul> <li>: not applicable pH : not applicable</li> <li>: Insoluble</li> <li>10. STABILITY AND REACTIVITY</li> <li>: Stable.</li> </ul>				
Melting point/range Boiling Point: Water solubility	<ul> <li>: not applicable pH : not applicable</li> <li>: Insoluble</li> <li>10. STABILITY AND REACTIVITY</li> </ul>				
Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>: not applicable pH : not applicable</li> <li>: Insoluble</li> <li>: Insoluble</li> <li>: Stable.</li> <li>: Will not occur.</li> <li>: Keep away from oxidizing agents and open flame. To avoid thermal</li> </ul>				



# MATERIAL SAFETY DATA SHEET MMC 00-1303 VIOLET (QD-9658) DP PASTE-20

Version Number 1.0 Revision Date 03/13/2015 Page 4 of 5 Print Date 3/13/2015

There are no known hazardous components above regulatory thresholds in this product.

Environmental Toxicity : Chemica polymer Bioaccumulation Potential : Chemica polymer Additional advice : not appli 13. DISPOS Product : Where por generator classifica applicabl Contaminated packaging : Recyclin material transport state/pros U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to US Regulations: OSHA Status : There are	ls are not readily available as they are bound within the matrix. cable SAL CONSIDERATIONS
Bioaccumulation Potential : Chemica polymer Additional advice : not appli 13. DISPOS Product : Where po generator classifica applicabl Contaminated packaging : Recyclin material transport state/pros U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to US Regulations: OSHA Status : There are	matrix. Is are not readily available as they are bound within the matrix. cable <b>SAL CONSIDERATIONS</b> ossible recycling is preferred to disposal or incineration. Th r of waste material has the responsibility for proper waste tion, transportation and disposal in accordance with e federal, state/provincial and local regulations. g is preferred when possible. The generator of waste has the responsibility for proper waste classification, ation and disposal in accordance with applicable federal, vincial and local regulations.
Additional advice : not appli 13. DISPOS Product : Where por generator classification Contaminated packaging : Recyclin material transport state/pro- 14. TRANS U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to IS. REGUL US Regulations: OSHA Status : There are	matrix. cable SAL CONSIDERATIONS ossible recycling is preferred to disposal or incineration. The of waste material has the responsibility for proper waste tion, transportation and disposal in accordance with e federal, state/provincial and local regulations. g is preferred when possible. The generator of waste has the responsibility for proper waste classification, ation and disposal in accordance with applicable federal, vincial and local regulations.
13. DISPOS         Product       : Where pagenerator classifica applicable         Contaminated packaging       : Recyclin material transport state/protection         U.S. DOT Classification       : Refer to the state applicable         U.S. DOT Classification       : Refer to the state applicable         U.S. DOT Classification       : Refer to the state applicable         U.S. DOT Classification       : Refer to the state applicable         U.S. DOT Classification       : Refer to the state applicable         US Regulations:       : Refer to the state applicable         OSHA Status       : There are state applicable	SAL CONSIDERATIONS ossible recycling is preferred to disposal or incineration. The of waste material has the responsibility for proper waste tion, transportation and disposal in accordance with e federal, state/provincial and local regulations. g is preferred when possible. The generator of waste has the responsibility for proper waste classification, ation and disposal in accordance with applicable federal, vincial and local regulations.
Product : Where pagenerator classifica applicabl Contaminated packaging : Recyclin material transport state/pro- 14. TRANS U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to 15. REGUL US Regulations: OSHA Status : There are	ossible recycling is preferred to disposal or incineration. The of waste material has the responsibility for proper waste tion, transportation and disposal in accordance with e federal, state/provincial and local regulations. g is preferred when possible. The generator of waste has the responsibility for proper waste classification, ation and disposal in accordance with applicable federal, vincial and local regulations.
generator classifica applicabl Contaminated packaging : Recyclin material transport state/prov 14. TRANS U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to 15. REGUL US Regulations: OSHA Status : There are	r of waste material has the responsibility for proper waste tion, transportation and disposal in accordance with e federal, state/provincial and local regulations. g is preferred when possible. The generator of waste has the responsibility for proper waste classification, ation and disposal in accordance with applicable federal, vincial and local regulations.
material transport state/pro- 14. TRANS U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to 15. REGUL US Regulations: OSHA Status : There are	has the responsibility for proper waste classification, ation and disposal in accordance with applicable federal, vincial and local regulations.
U.S. DOT Classification : Refer to ICAO/IATA (air) : Refer to IMO / IMDG (maritime) : Refer to 15. REGUL US Regulations: OSHA Status : There are	SPORT INFORMATION
ICAO/IATA (air) : Refer to a IMO / IMDG (maritime) : Refer to a <b>15. REGUL</b> US Regulations: OSHA Status : There are	
ICAO/IATA (air) : Refer to a IMO / IMDG (maritime) : Refer to a IS. REGUL US Regulations: OSHA Status : There are	
IMO / IMDG (maritime) : Refer to 15. REGUL US Regulations: OSHA Status : There are	specific regulation.
15. REGUL         US Regulations:         OSHA Status         : There are	specific regulation.
US Regulations: OSHA Status : There are	specific regulation.
OSHA Status : There are	ATORY INFORMATION
	e no known hazardous components above regulatory ls in this product.
TSCA Status : All com TSCA In	ponents of this product are listed on or exempt from the ventory.
US. EPA CERCLA Hazardous Substances (40	
not applicable	) CFR 302)
	) CFR 302)
	) CFR 302)



## MATERIAL SAFETY DATA SHEET MMC 00-1303 VIOLET (QD-9658) DP PASTE-20

Version Number 1.0 Revision Date 03/13/2015 Page 5 of 5 Print Date 3/13/2015

California Proposition 65	:	Not applicable			
SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
SARA Title III Section 313 Tox	ic C	Chemicals:			
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:					
National Pollutant Releas	se Ir	nventory (NPRI)			
not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.