

**HPL Additives Limited** 

# **MATERIAL SAFETY DATA SHEET**

## KINOX<sup>®</sup>-35

#### IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name	:		panoic acid 3,5-bis(1,1-dimethyl ethyl)- hiodi-2,1-ethanediyl ester
Product code	:	KINOX <sup>®</sup> -35	
Product type	:	Antioxidant	
Supplier's name	:	HPL Additiv	es Limited
and address	:	803, Vishal	Bhawan
		95, Nehru P	lace
		New Delhi -	110019 (INDIA)
Contact Numbers	:	Telephone	+91- 11- 2643 1522
		+91- 11	- 2642 1570
		Fax	+91- 11- 2647 4350
			+91- 11- 2646 0981
		e-mail	hpll@hpl-group.com
Information	:	Product Cor	npliance and Regulatory Affairs
Emergency Phone Number (24h)	:		+91-9910486231

## **2** HAZARDS IDENTIFICATION

: Harmful to aquatic organism, may cause long term adverse effects on aquatic life.

#### **3** COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	:	Benzenepropanoic acid 3,5-bis(1,1-dimethyl ethyl)- 4-hydroxy thiodi-2,1-ethanediyl ester
CAS Registry number	:	41484-35-9
EINECS number	:	255-392-8

## **I FIRST AID MEASURES**

Skin contact	:	In case of skin contact, wash with plenty of water and soap. Organic solvents not to be used.
Eye contact	:	In case of eye contact, immediately flush eye with plenty of water for at least 15 minutes. In case of eye irritation contact physician.
Inhalation	:	If inhaled, remove to fresh air, seek medical advice.
Ingestion	:	If product is swallowed, immediately give 2 glasses of water. Obtain medical help immediately.

#### **IFIRE FIGHTING MEASURES**

Specific hazards	:	Not classified as flammable but will burn.
Suitable Extinguishing Media	:	Foam, dry chemical powder, carbon dioxide, sand or earth may be used.
Unsuitable Extinguishing Media	:	Water with high volume jet.
Protective equipment	:	Full protective clothing and self contained breathing apparatus.

## **G** ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid raising a dust cloud. Avoid contact with eyes, skin and clothing. Do not breathe dust or vapour.
Environmental precautions	:	Prevent contamination of soil, drain and surface water.
Methods for cleaning up	:	Take up mechanically and store in suitable closed container for disposal. Avoid formation of dust.

## **1** HANDLING AND STORAGE

Handling	:	Avoid generation or accumulation of dust, avoid contact with skin, eyes and clothing. Do not breath dust or fumes or vapours from heated product.
Handling temperature	:	Ambient (max. upto 35°C)
Storage	:	Keep container tightly closed and dry. Keep in bounded area.
Storage temperature	:	Ambient (max. upto 35°C)

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Technical measures / precautions	:	No special precautions required.
Respiratory protection	:	If risk of inhalation, wear respiratory mask.
Hand protection	:	Wear protective gloves.
Eyes protection	:	Wear suitable goggles or face protection.
Skin and body protection	:	Wear overall and closed footwear.

## **9** PHYSICAL AND TECHNICAL DATA

Physical state	:	White powder
Odour	:	Odourless
Melting Point (°C)	:	63-68
Boiling Point	:	Not applicable
Relative density	:	1.0 g/ml
Flash point (°C)	:	279
lgnition (°C)	:	370
pH(1% Aqu.suspension)	:	7.00 - 8.00
Viscosity	:	Not available

#### **10** STABILITY AND REACTIVITY

Stability	:	Quite stable under normal use conditions and thermal decomposition temperature is more than 350°C.
Conditions to avoid	:	Heat, flames and sparks.
Materials to avoid	:	Strong acids, strong bases and strong oxidising agents.
Hazardous decomposition products	:	On burning may release oxides of carbon, nitrogen and other toxic gases or vapours.

## **1** TOXICOLOGICAL INFORMATION

Acute Toxicity		
LD-50 oral toxicity	:	> 2,000 mg/Kg
in rats		
Skin irritation tested on rabbits	:	Non-irritant
Eye irritation tested on rabbits	:	Non-irritant
Skin sensitisation	:	Negative

## **12** ECOLOGICAL INFORMATION

Acute Toxicity		
LC-50, Zabra Fish (96 hrs)	:	>57 mg/l
EC-50, Daphnia megna (48 hrs)	:	>100 mg/l
IC-50, Bacteria (3 hrs)	:	>100 mg/l
EC-50, Algae (72 hrs)	:	>100 mg/l
Biodegradability	:	Not biodegradable
Prevent contamination of soil, drain an	d surf	face water.
Prevent contamination of soil, drain an	a suri	ace water.

## **13** DISPOSAL CONSIDERATIONS

Waste disposal	: Recover on recycle if possible, Otherwise perform incineration.
Product disposal	: Recover or recycle if possible, Otherwise perform incineration.
Container disposal	: Contaminated container should be disposed off. Accordingly uncontaminated container should be thoroughly cleaned with water or solvent and then can be recycled

### **17** TRANSPORTATION INFORMATION

RID / ADR	: Not regulated
IMDG	: Not regulated
ΙΑΤΑ	: Not regulated
Flash Point (°C)	: 279

### REGULATORY INFORMATION

EEC No.	:	255-392-8	
EEC Symbol	:	None	
Contains	:	Benzenepropanoic acid 3,5-bis(1,1-dimethyl ethyl)- 4-hydroxy thiodi-2,1-ethanediyl ester.	
R-Phrase (s)	:	R53 Harmful to aquatic organism, may cause long term adverse effects on aquatic life.	
S-Phrase (s)	:	S61 Avoid release to the environment. Refer to especial instruction/ safety data sheet	

#### OTHER INFORMATION

Uses	:	Used primarily as an antioxidant.
History	:	Edition no. 4 First issue 1 <sup>st</sup> May' 2006 Second issue 31 <sup>st</sup> May' 2007 Third issue 1 <sup>st</sup> May' 2008 Forth issue 1 <sup>st</sup> Sept' 2008

This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organization responsible for advising on safety matters.

The information given in this document is only a recommendation believed to be reliable and is given in good faith but without warranty. Our advice does not release users from the obligation of checking its validity and to test our products as to their suitability for the intended use. Specified properties mentioned in this document are based on our historical production performance and these properties or the whole document is subject to change without any prior notice at our sole discretion. We are under no obligation to call back earlier issued documents.