No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

Material Safety Data Sheet

KEMAI027

Revision Date: 08/20/2011 Date of Printing: 08/20/2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: MBS MSDS NO. KEMAI027

Chemical Name: 2-(Morpholinothio)benzothiazole

Synonyms: Santocure MOR; Perkacit MBS; N-Oxydiethylene-benzothiazole-2-sulfenamide;

Benzothiazole, 2-(4-morpholinothio)-

Use: Accelerator.

Manufactured By: Kemai Chemical Co.,Ltd.

Emergency Telephone: CHEMTREC: 0086-22-6334-9929 FAX 0086-22-6334-9991

Prepared By: Kemai Chemical Co.,Ltd.

Phone 0086-22-6334-9929 FAX 0086-22-6334-9991

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components/CAS#

Percent

2-(Morpholinothio)benzothiazole

102-77-2

96-99

2-Mercaptobenzothiazole

149-30-4

0-1

Morpholine

110-91-8

0 - 0.5

Mercaptobenzothiazole

Disulfide

120-78-5

0-1

Benzothiazole

95-16-9

0 - 0.5

3. HAZARDS IDENTIFICATION

Emergency Overview: WARNING! Combustible dust - explosion potential. This material is irritating to skin, eyes and respiratory tract. May cause allergic skin reaction.

Eye Contact: Causes eye irritation. Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing and hazy vision.

Skin Contact: Causes moderate skin irritation. Burning sensation may result. Moderate Skin Irritation: signs/symptoms can include redness, swelling, itching, and dryness.



No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

Inhalation: Causes moderate respiratory irritation. Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

Ingestion: Illness may occur after a single swallowing of relatively large quantities of this material.

4. FIRST AID MEASURES

In Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

On Skin: Remove contaminated clothing. Wash skin with water, using soap if available. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.

Inhaled: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

Swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician.

Never give anything by mouth to an unconscious person.

Notes To Physician: Provide symptomatic/supportive care as necessary. Treatment based on sound judgment of physician and individual reactions of patient. Observe for signs of respiratory distress.

5. FIRE FIGHTING MEASURES

Flash Point (°F/C): 350°F / 177°C

Flash Point Method: Cleveland Open Cup

Autoignition Temp. (°F/C): 660°F / 349°C (Dust) Lower Explosion Limit in Air (LEL): Not Determined Upper Explosion Limit in Air (UEL): Not Determined.

Extinguishing Media: Water fog, carbon dioxide, foam, dry chemical

Special Exposure Hazards: Fight fire from a safe distance and from a protected location.

Combustible dust when in a finely divided and highly suspended state. Use water spray to cool fire exposed surfaces. Decomposition in fire may produce toxic gases. Do not allow runoff to enter waterways.

Special Protective Equipment: Fire fighters should wear full protective clothing, including self-contained breathing equipment.

Unusual Fire/Explosion Hazards: Toxic emissions may result if product is involved in a fire. Fire produces carbon monoxide and carbon dioxide gases.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Wear protective equipment specified. Avoid the generation of dust. Sweep, vacuum, or shovel and place into closable container for disposal.

Procedure for Cleaning/Absorption: Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Isolate spill and stop leak where safe. Scoop up and remove solids. Do NOT spread spilled product with water.

CERCLA Reportable Quantity (RQ): Not Applicable.

7. HANDLING AND STORAGE

Handling: Good hygienic practices should be observed. Work clothes should be washed separately at the end of each work day. Disposable clothing should be discarded with material. Avoid generating or breathing dust. Avoid contact with eyes, skin and clothing. Reclose containers of unused product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Do not reuse this



No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

container.

Storage: Store closed containers in a cool, dry, well-ventilated area. Store away from strong oxidizing materials. Avoid exposure to direct sunlight. Do not store near Crystex Insoluble Sulfur. Slowly degrades and releases irritating vapors under warm, humid conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear safety glasses or goggles to protect against exposure.

Skin Protection: Normal work coveralls. Launder contaminated clothing before reuse.

Gloves: Use gloves as a standard industrial handling procedure. All cleanable impervious glove types are acceptable.

Respiratory Protection: Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure. Firefighting: Use a Positive Pressure Demand Full Face Self Contained Breathing Apparatus.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits during the use of this product. Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air pollutions control regulations. Eliminate ignition sources.

Airborne Exposure Limits: Nuisance Dust. OSHA PEL/8Hr-TWA = 15 mg/m3 (Total Dust). OSHA PEL/8-Hr TWA = 05 mg/m3 (Respirable Dust). ACGIH TLV/8-Hr TWA = 10 mg/m3. Morpholine: OSHA PEL/8Hr TWA = 20 ppm. ACGIH TLV/8Hr TWA = 20 ppm *skin. NIOSH REL/8Hr TWA = 20 ppm *skin. NIOSH STEL = 30 ppm *skin

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white granules.

Odor: MILD AMINE pH: Not Applicable

Specific Gravity: 1.4 @ 25°C

Density: 1.35

Bulk Density: 1360 kg/m3 Melting Point (°F/C): 82-88°C

Boiling Point (°F/C): Decomposes >385°C Vapor Pressure: 1.34 x 10(-6) hPa @25°C Vapor Density (Air=1): Not Applicable

% Volatile by Volume: <0.5%

Solubility in Water: 32 ppm @ 25°C

Other Solubility: Soluble in: Acetone Organic liquids, including fats and oils Ether

Viscosity: Not Applicable

Other Data: Ash content = 0.3% max.

Molecular Weight: 252.3

Molecular Formula: C11-H12-N2-O-S2 10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored at room temperature in closed, original container. Stable

under normal conditions of handling, use and transportation. Stable if protected



No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

from heat and exposure to air. Loses potency with time Protect from moisture

Hazardous Polymerization: Will not occur

Conditions to Avoid: Keep away from heat, sparks and flame.

Materials to Avoid: Reducing agents. Contact with acids. Avoid contamination of product with small

amounts of water. Do not store near Crystex Insoluble Sulfur.

Hazardous Decomposition Products: Carbon monoxide. Oxides of nitrogen. Oxides of sulfur.

Amines

Additional Guidelines: Amine vapors can cause insoluble sulfur to revert to soluble form.

11. TOXICOLOGICAL INFORMATION

Target Organs

Acute Oral LD50 (mg/kg): >7940 mg/kg (Rat)

Acute Dermal LD50 (mg/kg): >7940 mg/kg (Rabbit)

Acute Inhalation LC50 (mg/l): Not Determined

Principle Routes of Exposure: Eyes. Inhalation. Dermal - skin.

Ingestion: Illness may occur after a single swallowing of relatively large quantities of this

material.

Skin Contact: Causes moderate skin irritation. Burning sensation may result. Moderate Skin

Irritation: signs/symptoms can include redness, swelling, itching, and dryness. **Inhalation:** Causes moderate respiratory irritation. Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

Eye Contact: Causes eye irritation. Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing and hazy vision.

Aggravated Conditions: Pulmonary disorders. Dermal ailments. Eye, skin, respiratory, blood, liver and/or kidney ailments. This material or its emissions may cause an allergic or sensitization reaction and thereby aggravate systemic disease.

Carcinogenicity Comment: This product or one of its ingredients present 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC or OSHA.

Other: WARNING: Can react with nitrosating agents to form the carcinogenic compound N-Nitrosomorpholine. Product releases amine vapors during cure. Decomposition products and fumes from vulcanization and cross-linking may cause eye, skin and respiratory sensitization. May be a skin sensitizer.

Primary Irritation Effect: Moderately irritating to skin and eyes. Moderate to strong skin sensitizer in human patch test studies.

Carcinogenicity: Negative in standard tests using bacteria and/or yeast cells.

Genotoxicity: Both negative and positive effects have been found in standard in vitro tests using animal cells. Both negative and positive effects have been found in standard in vivo tests.

Reproductive/Developmental

Toxicity:

No evidence of teratogenicity in animal studies using rats, mice and/or hamsters. Embryotoxicity reported in studies conducted on chicken embryos. Did not affect



No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

reproductive performance or post-natal development in animal studies. Higher doses administered during gestation in rats resulted in a slight increase in fetal mortality and a slight decrease in fetal body weights.

12. ECOLOGICAL INFORMATION

Acute Fish Toxicity: 96Hr LC50 Rainbow Trout = 1.3 mg/l. 96Hr LC50 Bluegill Sunfish = 4.4 mg/l.

96Hr LC50 Fathead Minnow = 3.5 mg/l. 48Hr LC50 Midge = 5.3 mg/l. Acute Crustaceans Toxicity: 48Hr LC50 Daphnia Magna = 4.10 mg/l

Acute Algae Toxicity: 96Hr EC50 Algae = 2.0 mg/l

Octanol/Water Coefficient: Log P = 3.49

Chemical Fate Information: Hydrolysis: 100% in 7 days. Bioconcentration Factor: 100 (Calculated).

Other Information: Ready Biodegradation: 0% after 28 days.

13. DISPOSAL CONSIDERATIONS

Disposal of Waste Method:

This material is not a RCRA hazardous waste. Bury in a licensed landfill or burn in an approved incinerator according to federal, state, and local regulations. Empty containers should be handled in a manner not to cause dusting during collection, transporation and disposal.

Contaminated Packaging:

If empty container retains product residues, all label precautions must be observed. Store away from ignition sources.

Transport with all closures in place. Return for reuse or dispose according to national or local regulations. Dispose of

container according to national or local regulations.

14. TRANSPORT INFORMATION

DOT:DOT Status: Not Regulated **DOT Shipping Name: NONE**

DOT Reportable Quantity (lbs): None

ICAO/IATA: Status: NOT REGULATED FOR TRANSPORTATION

Proper Shipping Name: None

UN/NA Number: NONE

IMDG:Status: Not Regulated Proper Shipping Name: None

TDG (Canada):Status: Not Regulated

Proper Shipping Name: None

15. REGULATORY INFORMATION

Worldwide Inventory Status

TSCA (USA): Listed Canadian DSL: Listed

Canadian NDSL: Not Applicable. Listed on the DSL.

EINECS/ELINCS (Europe): Listed Japanese Inventory (ENCS): Listed

Korean Chemical Inventory (ECL): Listed Australian Chemical Inventories (AICS): Listed



No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

New Zealand (NZ): Listed

Phillipines (PICCS) Inventory: Listed

China (CLECS): Listed **US Regulatory Rules**

SARA Section 302: None Found

SARA 311/312 Hazard Catagories: Immediate Delayed Fire SARA 313 Chemical: Component 2-Mercaptobenzothiazole.

RCRA Status: Not a RCRA waste.

Other Regulations:

California Proposition 65: NONE

New Jersey Right-to-Know List: Component 2-Mercaptobenzothiazole: New Jersey Substance ID#

3710.

Component Morpholine: New Jersey Substance ID# 1315. Pennsylvania Right to Know List: Component Morpholine.

Florida Right to Know: Component Morpholine. Minnesota Right to Know: Component Morpholine. MA Right to Know Law: Component Morpholine.

FDA Status 21 CFR: Regulated for Use under the following sections of 21 CFR: 177.2600 Rubber

Articles Intended for Repeated Use in Food Contact.

Canadian Regulations

WHMIS Hazard Class: D2B TOXIC MATERIALS / Materials Causing Other Toxic Effects NPRI: Component 2-Mercaptobenzothiazole: NPRI Part 1, Group 1, ID# 148, minimum concentration 1%.

16. OTHER INFORMATION

Hazard Rating Systems:

HMIS Classification: HEALTH 2, FLAMMABILITY 1, REACTIVITY 0

NFPA Rating: HEALTH 2, FLAMMABILITY 1, REACTIVITY 0

The following has been revised since the last issue of this MSDS:

The Emergency Overview statement has changed for the product. (See Section 3). Addition of USA State-specific Rightto-

Know information. Add toxicology information. Add Canadian province-specific information. Add WHMIS Ingredient

Disclosure List Information. Add NPRI information [Canada]. Add Mexico OEL information.

Additional Information: Components Morpholine and 2-Mercaptobenzothiazole: WHMIS Ingredient Disclosure List (Canada): WHMIS Concentration threshold = 1%. MORPHOLINE: Canadian Workplace

OELs apply in Alberta, British Colombia, Ontario and Quebec. Mexican

Workplace OELs apply. Listed as a specific Hazardous Chemical in the following US states: CA, CT, IL, IN, KY, LA, NC, RI.

Important Note: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any



No.72 Hai Xin Road, Gu Lin Industrial Zone, Da Gang Dist., Bin Hai New Area, Tianjin, P.R. China.

Kemai Tel: +86-22-24373333 +86-22-24370313 Fax: +86-22-24379994

process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

